

### COMPONENT STATUS

**Date:** 19-Feb-18  
**AFTT:** 14278.8  
**RIN's:** 114520

**Serial No:** 52291  
**Tail No:** C-FXLQ

ATA	DESCRIPTION	PART NO	SERIAL NO	FREQ	UNIT	CODE	CURRENT	REMAINING	PERCENT REM TO	
									RL	O/H-INS
240000	MAIN BATTERY	RG222	40895853	100	H	INS	0.0	100.0		100%
240100	STARTER GENERATOR	200SGL132Q	5199-XL2	1000	H	OH	540.5	459.5		46%
290010	HYDRAULIC CYLINDER ASSY	206-076-062-103	HR1142	3600	H	OH	507.6	3092.4		86%
290020	HYDRAULIC CYLINDER ASSY	206-076-062-103V	HR1078	3600	H	OH	2533.3	1066.7		30%
290030	HYDRAULIC CYLINDER ASSY	206-076-062-101	RH1987A	3600	H	OH	2929.8	670.2		19%
320100	FORWARD CROSSTUBE (Dart)	D206-667-103	158287	300	H	INF	0.0	300.0		100%
320200	AFT CROSSTUBE (Dart)	D206-667-203	144205	300	H	INF	0.0	300.0		100%
620010	M/R BLADE	206-015-001-119	BH216913	4000	H	RL	428.8	3571.2	89%	
620020	M/R BLADE	206-015-001-119	BH241833	4000	H	RL	428.8	3571.2	89%	
620100	<b>M/R HUB ASSY</b>	<b>206-011-100-105</b>	<b>AAB-00059</b>	2400	H	OH	428.8	1971.2		82%
620110	1200 Hour Inspection per BHT-206L4-MM Para. 5-39			1200	H	INS	428.8	771.2		64%
620200	M/R TRUNNION	206-011-120-105	HB3334	24000	RIN	RL	0	24000	100%	
620201	GRIP	206-011-132-113A	HB7042	4800	H	RL	2395.8	2404.2	50%	
620202	GRIP	206-011-132-113A	HB6754	4800	H	RL	2610.9	2189.1	46%	
620203	RETENTION STRAP	206-310-004-103	LPFS1354	1200	H	RL	428.8	771.2	64%	
	1200 Hr/36 Month Retirement per BHT-MM Ch. 4			36	MO	RL	Aug-18	6	16%	
620204	RETENTION STRAP	206-310-004-103	LPFS1396	1200	H	RL	428.8	771.2	64%	
	1200 Hr/36 Month Retirement per BHT-MM Ch. 4			36	MO	RL	Aug-18	6	16%	
620205	STRAP FITTING	206-011-150-105	HB15313	2400	H	RL	428.8	1971.2	82%	
620206	STRAP FITTING	206-011-150-105	HB15964	2400	H	RL	428.8	1971.2	82%	
620207	STRAP PIN	206-011-125-001	DI140491	1200	H	RL	428.8	771.2	64%	
620208	STRAP PIN	206-011-125-001	DI140511	1200	H	RL	428.8	771.2	64%	
620209	LATCH BOLT	206-011-260-101	SU11119	1200	H	RL	428.8	771.2	64%	
620210	LATCH BOLT	206-011-260-101	SU11121	1200	H	RL	428.8	771.2	64%	
621000	<b>SWASHPLATE &amp; SUPPORT ASSY</b>	<b>206-010-450-123FM</b>	<b>REFS320</b>	4800	H	OH	4013.1	786.9		16%
621001	COLLECTIVE LEVER	206-010-447-109	RE865	14400	H	RL	4013.1	10386.9	72%	
621002	SUPPORT	206-010-445-113	RE1494	14400	H	RL	4013.1	10386.9	72%	
621003	COLLECTIVE SLEEVE	206-010-454-113	RE10590	14400	H	RL	4013.1	10386.9	72%	
621004	IDLER LINK	206-010-446-107	RE994	14400	H	RL	4013.1	10386.9	72%	
621005	LOWER CYCLIC TUBE L/H	206-001-193-001	US806	4800	H	RL	330.2	4469.8	93%	
621006	LOWER CYCLIC TUBE R/H	206-001-193-001	US821	4800	H	RL	330.2	4469.8	93%	
630000	<b>M/R MAST ASSY</b>	<b>206-040-014-107</b>	<b>52274</b>	3000	H	OH	179.3	2820.7		94%
630010	1500 Hour S.I. per BHT-206L4-MM Para. 5-40			1500	H	INS	179.3	1320.7		88%
630050	M/R MAST POLE	206-040-535-109	N-2010	5000	H	RL	179.3	4820.7	96%	
630051	RIN Limit per BHT-206L4-MM Ch. 4			44000	RIN	RL	2856	41144	94%	
630100	<b>TRANSMISSION ASSY</b>	<b>206-040-004-115</b>	<b>A-438</b>	4500	H	OH	0.0	4500.0		100%
630110	2250 Hour/60 Month S.I. per BHT-206L4-MM Para. 5-41			2250	H	INS	0.0	2250.0		100%
				60	MO	INS	Jan-23	59	98%	
630200	<b>ROTOR BRAKE ASSY</b>	<b>206-706-502-101</b>	<b>NSN</b>	600	H	INS	0.0	600.0		100%
630201	ROTOR BRAKE CALIPER	206-340-301-103	1365	1800	H	OH	595.0	1205.0	67%	
630202	ROTOR BRAKE CALIPER	206-340-301-103	1361	1800	H	OH	595.0	1205.0	67%	
630203	ROTOR BRAKE DISC	206-340-301-101	1121	3000	H	OH	1482.0	1518.0	51%	
630300	<b>FREEWHEEL ASSY</b>	<b>406-040-500-143FM</b>	<b>A-4174</b>	3000	H	OH	428.8	2571.2		86%
630310	60 Month S.I. per BHT-206L4-MM Para. 5-36			60	MO	INS	Aug-20	30	50%	
630400	<b>INPUT DRIVESHAFT</b>	<b>206-340-300-105M</b>	<b>KC353</b>	2500	H	OH	2272.8	227.2		9%
640000	<b>T/R HUB ASSY</b>	<b>206-011-810-153</b>	<b>HB1378</b>	2500	H	OH	0.0	2500.0		100%
640100	T/R YOKE	206-011-819-109	HBFS3821	5000	H	RL	3650.0	1350.0	27%	
640200	T/R BLADE	206-016-201-135	CS20387	2500	H	RL	507.6	1992.4	80%	
640201	T/R BLADE	206-016-201-135	CS20378	2500	H	RL	1422.7	1077.3	43%	
652100	<b>T/R GEARBOX</b>	<b>206-040-402-111</b>	<b>A-3721</b>	6000	H	OH	2119.5	3880.5		65%
652110	3000 Hour S.I. per BHT-206L4-MM Para. 5-42			3000	H	INS	0.0	3000.0		100%
652120	T/R G/B DUPLEX BEARING	206-040-410-101	MB4162	3000	H	RL	2119.5	880.5	29%	

## COMPONENT STATUS

**Date:** 19-Feb-18  
**AFTT:** 14278.8  
**RIN's:** 114520

**Serial No:** 52291  
**Tail No:** C-FXLQ

ATA	DESCRIPTION	PART NO	SERIAL NO	FREQ	UNIT	CODE	CURRENT	REMAINING	PERCENT REM TO	
									RL	O/H-INS
710000	<b>ENGINE ASSY (250-C30P)</b>	<b>23004545</b>	<b>CAE-895438</b>			OC	14767.0	N/A		N/A
711000	<b>COMPRESSOR</b>	<b>23051643</b>	<b>CAC-90404</b>			OC	22416.9	N/A		N/A
711005	Spur Adapter Gearshaft & Coupling Inspection			2000	H	INS	1752.6	247.4		12%
711020	IMPELLER	23076537	JY105853	15000	H	RL	1752.6	13247.4	88%	
				25000	CYC	RL	1416	23584	94%	
712000	<b>TURBINE</b>	<b>23035128</b>	<b>CAT-95225</b>	2000	H	OH	1134.9	865.1		43%
712005	N1 & N2 Shafting Inspection			2000	H	INS	1134.9	865.1		43%
712010	1st STAGE WHEEL	M250-10227	X612244	2025	H	RL	1134.9	890.1	44%	
				3000	CYC	RL	926	2074	69%	
712020	2nd STAGEWHEEL	23032280	X617124	2025	H	RL	1134.9	890.1	44%	
				3000	CYC	RL	926	2074	69%	
712030	3rd STAGE WHEEL	6898663	X619539	4550	H	RL	1134.9	3415.1	75%	
				6000	CYC	RL	926	5074	85%	
712040	4th STAGE WHEEL	23066744	X620197	4550	H	RL	1134.9	3415.1	75%	
				6000	CYC	RL	926	5074	85%	
713000	<b>GEARBOX</b>	<b>23053349</b>	<b>CAG-90401</b>			OC	13754.1	N/A		N/A
730000	ENGINE FUEL PUMP	6896822	T201059	3000	H	OH	1245.6	1754.4		58%
730001	FUEL CONTROL	23087146	337129	2500	H	OH	2067.4	432.6		17%
730002	N2 GOVERNOR	23070106	24697	2000	H	OH	1410.1	589.9		29%
730003	FUEL NOZZLE	M250-10604	1PS10542	2000	H	OH	688.9	1311.1		66%
750000	BLEED VALVE	23073353	FF36056	1500	H	OH	0.0	1500.0		100%