

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
00-00-00	PD: 412 Dart EZ access kit inspection									
INS	PN: 300 Hr. ICA inspection	Insp Type: Kits/Mods	H UNK	18346.7	18337.0	0	300	259.3	40.7	18637.0
Serviceable	SN: 33213	Installed on: 412 Supplemental Inspections - 412	L UNK							
Repeat	Position:	Supplemental ICA Inspections - 33213	C UNK		16-Jul-2016					
Pending	HSN/LSN: 1130.6 / UNK	Description: 300 Hr. ICA inspection								
	HSO/LSO: N/A / N/A	Last Log: B0646-M1 (16-Jul-2016). JC 567P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
00-00-00	PD: 412 Power Check									
INS	PN: 25 Hr/ Monthly Power Check	Insp Type: N/A	H 71.1	18590.5	18592.0	0	25	4.3	20.7	18617.0
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Repeat	Position:	(C-GCCD)	C UNK	21-Sep-2017	07-Sep-2017	0	30 (D)	189	-159	07-Oct-2017
Issued	HSN/LSN: 71.1 / UNK	Description: 25 hrs/ Monthly Power Check								
	HSO/LSO: N/A / N/A	Last Log: B0995-Pwr Check (07-Sep-2017). JC 687P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
00-00-00	PD: 412 Survival Kit Annual Insp									
INS	PN: FE-8A	Insp Type: N/A	H UNK							
Serviceable	SN: A243-0505	Installed on: 412 Special Inspection - A/F Special	L UNK							
Repeat	Position:	Inspection - 33213	C UNK	30-Nov-2016	17-Apr-2017	0	12 (M)	10.91	1.51	30-Apr-2018
Pending	HSN/LSN: UNK / UNK	Description: 1 Yr. Survival Kit Inspection and Recert								
	HSO/LSO: N/A / N/A	Last Log: B0957-M1 (20-Nov-2016). JC 608P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
00-00-00	PD: Aircraft work place Inspection									
INS	PN: Annual AOHS Inspection of the a/c	Insp Type: N/A	H UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Repeat	Position:	(C-GCCD)	C UNK		23-Feb-2018	0	12 (M)	0.66	11.51	28-Feb-2019
Pending	HSN/LSN: UNK / UNK	Description: Annual Inspection of the aircraft in respect of the work place								
	HSO/LSO: N/A / N/A									
00-00-00	PD: Flight Manual Revision Status Review									
INS	PN: Quarterly FM Revision Status Review	Insp Type: N/A	H UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Repeat	Position:	(C-GCCD)	C UNK		UNK	0	3 (M)	UNK	0.53	31-Mar-2018
Pending	HSN/LSN: UNK / UNK	Description: Every 3 months review revision status of aircraft FM								
	HSO/LSO: N/A / N/A									
00-00-00	PD: Lead Acid Concorde Battery Retirement									
INS	PN: RG380E44	Insp Type: Life Limited Part	H UNK							
Serviceable	SN: 40713179	Installed on: Lead Acid Concorde Battery -	L UNK							
Life	Position:	RG380E44 - 40713179	C UNK		16-Jun-2015	0	48 (M)	N/A	15.06	16-Jun-2019
Pending	HSN/LSN: UNK / UNK	Description: 4 Year service life - SH Company Procedure								
	HSO/LSO: N/A / N/A									
00-00-00	PD: Work order closure									
INS	PN: 412 Quarterly	Insp Type: N/A	H UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Repeat	Position:	(C-GCCD)	C UNK	01-Jan-2017	01-Jan-2018	0	3 (M)	2.40	0.56	01-Apr-2018
Pending	HSN/LSN: UNK / UNK	Description: Quarterly work order closure								
	HSO/LSO: N/A / N/A	Last Log: B0959-WP change (01-Jan-2017). JC 617P - 412SP - 33213 (C-GCCD) - Line Maintenance.								

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00	PD: 412 25 Hr / 30 Day		0.0	18636.8	18611.8	0	25	-15.5	25.0	18621.3
INS	PN: 25 Hr / 30 Day (5-9)	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: 412 Routine - Bell MM Routine - 33213	UNK							
Repeat	Position:		UNK	17-Feb-2017	22-Feb-2018	0	30 (D)	21	9	24-Mar-2018
Pending	HSN/LSN: 0.0 / UNK	Description: Complete 25 Hr / 30 Day Inspection								
	HSO/LSO: N/A / N/A	Last Log: B0960-M2 (18-Jan-2017). JC 620P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: 412 300 Hr / 12 Month		0.0	19412.2	19358.6	0	300	-762.3	300.0	18896.3
INS	PN: 300 Hr / 12 Month Insp (5-10)	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: 412 Routine - Bell MM Routine - 33213	UNK							
Repeat	Position:		UNK	23-Sep-2016	01-Jan-2018	0	12 (M)	2.40	10.59	31-Jan-2019
Pending	HSN/LSN: 0.0 / UNK	Description: Complete 300 Hr / 12 Month Bell MM Insp 5-10								
	HSO/LSO: N/A / N/A	Last Log: B0953-M3 (15-Sep-2016). JC 588P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: 412 5000 Hr / 5 Year		UNK		17465.7	0	5000	1130.6	1869.4	20465.7
INS	PN: 5000 Hr / 5 Year Insp (5-12)	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: 412 Routine - Bell MM Routine - 33213	UNK							
Repeat	Position:		UNK		02-May-2013	0	5 (Y)	4.87	0.21	31-May-2018
Pending	HSN/LSN: UNK / UNK	Description: Complete 5000 Hr / 5 Year Inspection								
	HSO/LSO: N/A / N/A									
05-00-00	PD: 412 600 Hr / 12 Month		176.2	19020.1	18744.5	0	600	-148.2	423.8	19020.1
INS	PN: 600 Hr / 12 Month Insp (5-11)	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: 412 Routine - Bell MM Routine - 33213	UNK							
Repeat	Position:		UNK	23-Apr-2016	17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
Pending	HSN/LSN: 176.2 / UNK	Description: Complete 600 Hr / 12 Month Bell MM Inspection 5-11								
	HSO/LSO: N/A / N/A	Last Log: B0604-M1 (16-Feb-2016). JC 450P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: 412 Cargo Hook Suspension Assy OVH		10.5		UNK	0	1200	UNK	1189.5	19785.8
INS	PN: 204-072-915-103	Insp Type: Hard Time								
Serviceable	SN: DHL31	Installed on: Cargo hook and suspension assy -	UNK							
Repeat	Position:	204-072-915-103 - DHL31	UNK		02-May-2017	0	36 (M)	10.42	26.56	31-May-2020
Pending	HSN/LSN: 10.5 / UNK	Description: 1200 hours flight time or 3 years, whichever is less								
	HSO/LSO: N/A / N/A	SN notes: IAW Bell 212/412 Service Instruction for External Suspension Kit BHT 412 SI-17 Section 2-24A Component Overhaul Schedule								
05-00-00	PD: 412 Supplemental Inspections		79.1	19217.6	19216.3	0	100	-620.0	20.9	18617.2
INS	PN: 412 Supplemental ICA Inspections	Insp Type: N/A								
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	UNK							
Repeat	Position:	(C-GCCD)	UNK		02-Aug-2017					
Pending	HSN/LSN: 79.1 / UNK	Description: 100 Hr. ICA / Supplementary inspection as per SH Heli work books								
	HSO/LSO: N/A / N/A	Last Log: B0641-M3 (05-Jul-2016). JC 549P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: PT6T 100 Hour Insp		260.4	18591.1	18590.8	0	100	5.5	94.5	18690.8
INS	PN: 100 Hour Insp	Insp Type: N/A								
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK							
Repeat	Position: E2		UNK		06-Sep-2017					
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every 100 hrs.								
	HSO/LSO: N/A / N/A	Last Log: B0995-M1 (06-Sep-2017). JC 686P - 412SP - 33213 (C-GCCD) - Line Maintenance.								

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00	PD: PT6T 100 Hour Insp									
INS	PN: 100 Hour Insp	Insp Type: N/A	H 260.4	18591.1	18590.8	0	100	5.5	94.5	18690.8
Serviceable	SN: CPPS-TB0132	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	L UNK							
Repeat	Position: E1		C UNK		06-Sep-2017					
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every 100 hrs.								
	HSO/LSO: N/A / N/A	Last Log: B0995-M1 (06-Sep-2017). JC 684P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: PT6T 1200 Hour Insp									
INS	PN: 1200 Hour Insp	Insp Type: N/A	H 260.4		UNK	0	1200	UNK	939.6	19535.9
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
Repeat	Position: E2		C UNK		UNK					
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every 1,200 hrs.								
	HSO/LSO: N/A / N/A									
05-00-00	PD: PT6T 1200 Hour Insp									
INS	PN: 1200 Hour Insp	Insp Type: N/A	H UNK		17465.9	0	1200	1130.4	69.6	18665.9
Serviceable	SN: CPPS-TB0132	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	L UNK							
Repeat	Position: E1		C UNK		UNK					
Pending	HSN/LSN: UNK / UNK	Description: C/W every 1,200 hrs.								
	HSO/LSO: N/A / N/A									
05-00-00	PD: PT6T 150 Hour Insp									
INS	PN: 150 Hour Insp	Insp Type: N/A	H 260.4	18531.2	18491.1	0	150	105.2	44.8	18641.1
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
Repeat	Position: E2		C UNK		27-Jul-2017					
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every (a) 150 hrs								
	HSO/LSO: N/A / N/A	Last Log: B0987-M1 (27-Jul-2017). JC 668P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: PT6T 150 Hour Insp									
INS	PN: 150 Hour Insp	Insp Type: N/A	H UNK	18531.2	18491.1	0	150	105.2	44.8	18641.1
Serviceable	SN: CPPS-TB0132	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	L UNK							
Repeat	Position: E1		C UNK		27-Jul-2017					
Pending	HSN/LSN: UNK / UNK	Description: C/W every (a) 150 hrs								
	HSO/LSO: N/A / N/A	Last Log: B0987-M1 (27-Jul-2017). JC 663P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: PT6T 150 Hour/12 Months Insp									
INS	PN: 150 Hour/12 Months Insp	Insp Type: N/A	H 260.4	18531.2	18491.1	0	150	105.2	44.8	18641.1
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
Repeat	Position: E2		C UNK	05-Aug-2017	27-Jul-2017	0	12 (M)	7.59	4.41	27-Jul-2018
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every (a) 150 hrs. or (b) 12 months.								
	HSO/LSO: N/A / N/A	Last Log: B0987-M1 (27-Jul-2017). JC 670P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
05-00-00	PD: PT6T 150 Hour/12 Months Insp									
INS	PN: 150 Hour/12 Months Insp	Insp Type: N/A	H UNK	18531.2	18491.1	0	150	105.2	44.8	18641.1
Serviceable	SN: CPPS-TB0132	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	L UNK							
Repeat	Position: E1		C UNK	05-Aug-2017	27-Jul-2017	0	12 (M)	7.59	4.41	27-Jul-2018
Pending	HSN/LSN: UNK / UNK	Description: C/W every (a) 150 hrs. or (b) 12 months.								
	HSO/LSO: N/A / N/A	Last Log: B0987-M1 (27-Jul-2017). JC 664P - 412SP - 33213 (C-GCCD) - Line Maintenance.								

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

		Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00	PD: PT6T 150 Hour/6 Months Insp								
INS	PN: 150 Hour/6 Months Insp	260.4	18641.1	18596.3	0	150	0.0	150.0	18746.3
Serviceable	SN: CPPS-62693	UNK							
Repeat	Position: E2	UNK	27-Jan-2018	23-Feb-2018	0	6 (M)	0.66	5.29	23-Aug-2018
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every (a) 150 hrs. or (b) 6 months.							
	HSO/LSO: N/A / N/A	Last Log: B1000-M1 (23-Feb-2018). JC 698P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 150 Hour/6 Months Insp								
INS	PN: 150 Hour/6 Months Insp	UNK	18641.1	18596.3	0	150	0.0	150.0	18746.3
Serviceable	SN: CPPS-TB0132	UNK							
Repeat	Position: E1	UNK	27-Jan-2018	23-Feb-2018	0	6 (M)	0.66	5.29	23-Aug-2018
Pending	HSN/LSN: UNK / UNK	Description: C/W every (a) 150 hrs. or (b) 6 months.							
	HSO/LSO: N/A / N/A	Last Log: B1000-M1 (23-Feb-2018). JC 693P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 25 Hour Insp								
INS	PN: 25 Hour Insp	260.4	18604.1	18596.3	0	25	0.0	25.0	18621.3
Serviceable	SN: CPPS-62693	UNK							
Repeat	Position: E2	UNK		22-Feb-2018					
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every 25 hrs.							
	HSO/LSO: N/A / N/A	Last Log: B0998-M1 (22-Feb-2018). JC 696P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 25 Hour Insp								
INS	PN: 25 Hour Insp	715.3	18604.1	18596.3	0	25	0.0	25.0	18621.3
Serviceable	SN: CPPS-TB0132	UNK							
Repeat	Position: E1	UNK		22-Feb-2018					
Pending	HSN/LSN: 715.3 / UNK	Description: C/W every 25 hrs.							
	HSO/LSO: N/A / N/A	Last Log: B0998-M1 (22-Feb-2018). JC 691P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 300 Hour Insp								
INS	PN: 300 hr engine insp	260.4		UNK	0	300	UNK	39.6	18635.9
Serviceable	SN: CPPS-62393	UNK							
Repeat	Position: E2	UNK		UNK					
Pending	HSN/LSN: 260.4 / UNK	Description: 300 hr engine inspection							
	HSO/LSO: N/A / N/A								
05-00-00	PD: PT6T 300 Hour Insp								
INS	PN: 300 hr engine insp	753.4	18440.6	18420.9	0	300	175.4	124.6	18720.9
Serviceable	SN: CPPS-TB0132	UNK							
Repeat	Position: E1	UNK		20-May-2017					
Pending	HSN/LSN: 753.4 / UNK	Description: 300 hr engine inspection							
	HSO/LSO: N/A / N/A	Last Log: B0977-M1 (20-May-2017). JC 637P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 300 Hour/12 Months Insp								
INS	PN: 300 Hour/12 Months Insp	260.4	18635.9	18420.9	0	300	175.4	124.6	18720.9
Serviceable	SN: CPPS-62693	UNK							
Repeat	Position: E2	UNK	23-Jun-2017	20-May-2017	0	12 (M)	9.83	2.17	20-May-2018
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every (a) 300 hrs. or (b) 12 months.							
	HSO/LSO: N/A / N/A	Last Log: B0977-M1 (20-May-2017). JC 640P - 412SP - 33213 (C-GCCD) - Line Maintenance.							

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

		Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-00-00	PD: PT6T 300 Hour/12 Months Insp								
INS	PN: 300 Hour/12 Months Insp	UNK	18687.8	18596.3	0	300	0.0	300.0	18896.3
Serviceable	SN: CPPS-TB0132	UNK							
Repeat	Position: E1	UNK	15-Sep-2017	01-Jan-2018	0	12 (M)	2.40	9.60	01-Jan-2019
Pending	HSN/LSN: UNK / UNK	Description: C/W every (a) 300 hrs. or (b) 12 months.							
	HSO/LSO: N/A / N/A	Last Log: B0997-M1 (01-Jan-2018). JC 694P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 300 hrs/ 12 months Oil Change								
INS	PN: 300 hrs/ 12 mon. Oil Change	260.4	18635.9	18463.8	0	300	132.5	167.5	18763.8
Serviceable	SN: CPPS-62693	UNK							
Repeat	Position: E2	UNK	15-Jul-2017	14-Jul-2017	0	12 (M)	8.02	3.98	14-Jul-2018
Pending	HSN/LSN: 260.4 / UNK	Description: 300 hrs/ 12 months oil change							
	HSO/LSO: N/A / N/A	Last Log: B0984-M1 (14-Jul-2017). JC 656P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 300 hrs/ 12 months Oil Change								
INS	PN: 300 hrs/ 12 mon. Oil Change	260.4	18635.9	18463.8	0	300	132.5	167.5	18763.8
Serviceable	SN: CPPS-TB0132	UNK							
Repeat	Position: E1	UNK	15-Jul-2017	14-Jul-2017	0	12 (M)	8.02	3.98	14-Jul-2018
Pending	HSN/LSN: 260.4 / UNK	Description: 300 hrs/ 12 months oil change							
	HSO/LSO: N/A / N/A	SN notes: Internal inspection Last Log: B0984-M1 (14-Jul-2017). JC 654P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 50 Hour/ 6 Months Insp								
INS	PN: 50 Hour/ 6 Months Insp	208.5	18590.1	18596.3	0	50	0.0	50.0	18646.3
Serviceable	SN: CPPS-62693	UNK							
Repeat	Position: E2	UNK	18-Feb-2018	22-Feb-2018	0	6 (M)	0.69	5.26	22-Aug-2018
Pending	HSN/LSN: 208.5 / UNK	Description: C/W every 50 hrs or 6 months whichever comes first							
	HSO/LSO: N/A / N/A	Last Log: B0998-M1 (22-Feb-2018). JC 697P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 50 Hour/ 6 Months Insp								
INS	PN: 50 Hour/ 6 Months Insp	208.5	18590.1	18596.3	0	50	0.0	50.0	18646.3
Serviceable	SN: CPPS-TB0132	UNK							
Repeat	Position: E1	UNK	18-Feb-2018	22-Feb-2018	0	6 (M)	0.69	5.26	22-Aug-2018
Pending	HSN/LSN: 208.5 / UNK	Description: C/W every 50 hrs or 6 months whichever comes first							
	HSO/LSO: N/A / N/A	Last Log: B0998-M1 (22-Feb-2018). JC 692P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 600 Hour Insp								
INS	PN: 600 Hour Insp	260.4	18935.9	18420.9	0	600	175.4	424.6	19020.9
Serviceable	SN: CPPS-62693	UNK							
Repeat	Position: E2	UNK		20-May-2017					
Pending	HSN/LSN: 260.4 / UNK	Description: C/W every 600 hrs.							
	HSO/LSO: N/A / N/A	Last Log: B0977-M1 (20-May-2017). JC 642P - 412SP - 33213 (C-GCCD) - Line Maintenance.							
05-00-00	PD: PT6T 600 Hour Insp								
INS	PN: 600 Hour Insp	UNK	18442.9	18420.9	0	600	175.4	424.6	19020.9
Serviceable	SN: CPPS-TB0132	UNK							
Repeat	Position: E1	UNK		20-May-2017					
Pending	HSN/LSN: UNK / UNK	Description: C/W every 600 hrs.							
	HSO/LSO: N/A / N/A	Last Log: B0977-M1 (20-May-2017). JC 635P - 412SP - 33213 (C-GCCD) - Line Maintenance.							

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
05-00-00 INS Serviceable Repeat Pending	PD: PT6T 900 Hour/12 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Description: C/W every (a) 900 hrs. or (b) 12 months. Last Log: B0973-M1 (17-May-2017). JC 641P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	260.4	19235.9	18420.1	0	900	176.2	723.8	19320.1
	PN: 900 Hour/12 Months Insp		L	UNK							
	SN: CPPS-62693 Position: E2		C	UNK	23-Jun-2017	17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
05-00-00 INS Serviceable Repeat Pending	PD: PT6T 900 Hour/12 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132 Description: C/W every (a) 900 hrs. or (b) 12 months. SN notes: 90 hrs or 30 days extension granted. Now due March 18th Last Log: B0973-M1 (17-May-2017). JC 636P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	UNK	19066.8	18420.1	0	900	176.2	723.8	19320.1
	PN: 900 Hour/12 Months Insp		L	UNK							
	SN: CPPS-TB0132 Position: E1		C	UNK	18-Mar-2017	17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
05-00-00 INS Serviceable Repeat Pending	PD: PT6T 900 Hour/24 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Description: 900 Hour/24 Months Insp Last Log: B1000-M1 (23-Feb-2018). JC 701P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	260.4	19235.9	18596.3	0	900	0.0	900.0	19496.3
	PN: 900 Hour/24 Months Insp		L	UNK							
	SN: CPPS-62693 Position: E2		C	UNK	23-Jun-2018	23-Feb-2018	0	24 (M)	0.66	23.34	23-Feb-2020
05-00-00 INS Serviceable Repeat Pending	PD: PT6T 900 Hour/24 Months Insp	Insp Type: N/A Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132 Description: 900 Hour/24 Months Insp Last Log: B1000-M1 (23-Feb-2018). JC 695P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	UNK	19066.8	18596.3	0	900	0.0	900.0	19496.3
	PN: 900 Hour/24 Months Insp		L	UNK							
	SN: CPPS-TB0132 Position: E1		C	UNK	16-Feb-2018	23-Feb-2018	0	24 (M)	0.66	23.34	23-Feb-2020
05-18-00 INS Serviceable Repeat Pending	PD: 412 25 Hour Tail Rotor Static Stop	Insp Type: N/A Installed on: 412 Routine - Bell MM Routine - 33213 Description: Inspect every 25 hrs. of Tail Rotor Operation. SN notes: Tail Rotor Blades S/N A-2729 and A-2555 Last Log: B0960-M2 (18-Jan-2017). JC 621P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	0.0	19404.3	19380.9	0	25	-784.6	25.0	18621.3
	PN: Tail Rotor Static Stop (5-18)		L	UNK							
	SN: 33213 Position:		C	UNK		23-Feb-2018					
05-24-00 INS Serviceable Repeat Pending	PD: 412 600 Hour / 12 Month Inspection	Insp Type: N/A Installed on: Driveshaft Assy, Main Transmission - 212-040-005-103 - A20-01426 Description: 600 hrs/12 months insp and servicing SN notes: Boots replacement required. Activate 1200 hrs boots replacement inspection when new boots are installed Last Log: 0669-M1 (23-Apr-2015). JC 244P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	176.2	19020.1	18622.7	0	600	-26.4	423.8	19020.1
	PN: Main Driveshaft (5-24)		L	UNK							
	SN: 33213 Position:		C	UNK	11-May-2015	17-May-2017	0	12 (M)	9.93	2.07	17-May-2018

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
05-24-00	PD: 412 600 Hour / 12 Month Inspection		H	176.2	19237.0	18961.4	0	600	-365.1	423.8	19020.1
INS	PN: T/R D/S Flexible Coupling (5-23)	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	C	UNK	23-Apr-2016	17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
Repeat	Position:	Inspection - 33213									
Pending	HSN/LSN: 176.2 / UNK	Description: 600 hrs/ 12 months insp and servicing - ICC Required									
	HSO/LSO: N/A / N/A	Last Log: B0604-M1 (16-Feb-2016). JC 451P - 412SP - 33213 (C-GCCD) - Line Maintenance.									
05-25-00	PD: 412 1000 Hour Component Ops		H	1753.9	17842.4	17842.4	0	1000	753.9	246.1	18842.4
INS	PN: Hydraulic accumulator (5-25)	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: 412 Routine - Bell MM Routine - 33213	C	UNK		23-Apr-2015					
Repeat	Position:	Description: 1000 Hours of component operation-hydraulic accumulators									
Pending	HSN/LSN: 1753.9 / UNK	SN notes: Oil cooler blowers 1000 hrs of ops inspection set up under oil cooler blower OVH (see oil cooler blower separate item)									
	HSO/LSO: N/A / N/A	Last Log: 0669-M1 (23-Apr-2015). JC 245P - 412SP - 33213 (C-GCCD) - Line Maintenance.									
05-25-00	PD: 412 2500 Hr General Assemblies		H	UNK		17465.7	0	2500	1130.6	1369.4	19965.7
INS	PN: 2500 Hr General Assemblies	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	C	UNK		UNK					
Repeat	Position:	Inspection - 33213									
Pending	HSN/LSN: UNK / UNK	Description: Inspect every 2,500 hrs. of Operation.									
	HSO/LSO: N/A / N/A										
05-27-00	PD: 412 24 Month Inspection		H	UNK							
INS	PN: Flight Control System Bolts (5-27)	Insp Type: N/A	L	UNK							
Serviceable	SN: 33213	Installed on: 412 Routine - Bell MM Routine - 33213	C	UNK	02-May-2015	17-May-2017	0	24 (M)	9.93	14.07	17-May-2019
Repeat	Position:	Description: Inspect every 24 months.									
Pending	HSN/LSN: UNK / UNK	Last Log: 0669-M1 (23-Apr-2015). JC 203P - 412SP - 33213 (C-GCCD) - Line Maintenance.									
	HSO/LSO: N/A / N/A										
05-29-00	PD: 412 2500 Hour, Main Rotor Blade		H	UNK		17465.7	0	2500	1130.6	1369.4	19965.7
INS	PN: 412-015-300	Insp Type: Hard Time	L	UNK							
Serviceable	SN: X4 Blades	Installed on: 412 Special Inspection - A/F Special	C	UNK		UNK					
Repeat	Position:	Inspection - 33213									
Pending	HSN/LSN: UNK / UNK	Description: 2500 Hour, Main Rotor Blade									
	HSO/LSO: N/A / N/A										
05-32-00	PD: 412 3000 Hr, Mast Inspection		H	1041.4		15735.5	0	3000	2860.8	1958.6	20554.9
INS	PN: 3000 Hr, Mast Inspection	Insp Type: N/A	L	UNK							
Serviceable	SN: 36009	Installed on: Mast Assy, Main Rotor -	C	UNK		UNK					
Repeat	Position:	412-040-366-105 - A9-00025									
Pending	HSN/LSN: 1041.4 / UNK	Description: Inspect every 3,000 hrs. of Operation. (Mid life)									
	HSO/LSO: N/A / N/A	SN notes: Special insp being c/o as per Table 5-1 note # 19 Bell 412 MM									

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
05-33-00	PD: 412 3000 Hr, Transmission	Insp Type: N/A	H 429.1		16443.4	0	3000	2152.9	2570.9	21167.2
INS	PN: 3000 Hr Transmission Insp.		L UNK							
Serviceable	SN: 33213	Installed on: Transmission Assy, Main Rotor -	C UNK		UNK					
Repeat	Position:	412-040-002-113FM - A-13								
Pending	HSN/LSN: 429.1 / UNK	Description: Inspect every 3,000 hrs. of Operation.								
	HSO/LSO: N/A / N/A									
08-10-00	PD: 412 Aircraft Reweigh	Insp Type: N/A	H UNK							
INS	PN: Aircraft Reweigh		L UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	C UNK		02-May-2013	0	60 (M)	58.45	1.58	02-May-2018
Repeat	Position:	(C-GCCD)								
Pending	HSN/LSN: UNK / UNK	Description: Reweigh every 5 yrs. as per Standard 625 Appendix C (8)								
	HSO/LSO: N/A / N/A									
12-00-00	PD: 412 Intermediate Gearbox (42*) Oil	Insp Type: Hard Time	H 149.1	18747.2	18596.3	0	300	0.0	300.0	18896.3
INS	PN: Inter. Gearbox (42*) Oil (Tab12-1)		L UNK							
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	C UNK	11-Jan-2018	23-Feb-2018	0	6 (M)	0.66	5.29	23-Aug-2018
Repeat	Position:	Schedule - 33213								
Pending	HSN/LSN: 149.1 / UNK	Description: Intermediate Gearbox (42*) Oil								
	HSO/LSO: N/A / N/A	DEG G/B OIL								
		Last Log: B1000-M1 (23-Feb-2018). JC 700P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
12-00-00	PD: 412 Tail Rotor Gearbox Oil	Insp Type: Lubrication	H 149.1	18747.2	18596.3	0	300	0.0	300.0	18896.3
INS	PN: TR Gearbox (90*) Oil (Tab 12-1)		L UNK							
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	C UNK	11-Jan-2018	23-Feb-2018	0	180 (D)	20	160	22-Aug-2018
Repeat	Position:	Schedule - 33213								
Pending	HSN/LSN: 149.1 / UNK	Description: Drain & Replensih Oil (a) 300 hrs. or (b) 180 days.								
	HSO/LSO: N/A / N/A	Last Log: B1000-M1 (23-Feb-2018). JC 699P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
12-00-00	PD: 412 Tail Rotor Hanger Bearing	Insp Type: Lubrication	H 175.4	18937.8	18936.8	0	300	-340.5	124.6	18720.9
INS	PN: TR Hanger Bearing-T/R/D/S(Tab 12-3)		L UNK							
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	C UNK		20-May-2017					
Repeat	Position:	Schedule - 33213								
Pending	HSN/LSN: 175.4 / UNK	Description: Lubricate every 300 hrs.								
	HSO/LSO: N/A / N/A	Last Log: 0692-M1 (22-Sep-2015). JC 405P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
12-00-00	PD: 412 Transmission Oil Change	Insp Type: Lubrication	H UNK							
INS	PN: Transmission Oil Change (Tab 12-1)		L UNK							
Serviceable	SN: 33213	Installed on: 412 Lubrication Schedule - Lubrication	C UNK	16-May-2015	17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
Repeat	Position:	Schedule - 33213								
Pending	HSN/LSN: UNK / UNK	Description: Drain & Replensih Oil every 12 months.								
	HSO/LSO: N/A / N/A	Last Log: 0668-M1 (23-Apr-2015). JC 204P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
12-00-00	PD: 412 Transmission Oil Filter Change	Insp Type: Lubrication	H 176.2							
INS	PN: 412 Transm. Oil Filter Change		L UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special	C UNK	16-May-2015	17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
Repeat	Position:	Inspection - 33213								
Pending	HSN/LSN: 176.2 / UNK	Description: Replace Filter every 12 months.								
	HSO/LSO: N/A / N/A	Last Log: 0669-M1 (23-Apr-2015). JC 205P - 412SP - 33213 (C-GCCD) - Line Maintenance.								



# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
24-00-00 INS Serviceable Repeat Pending	PD: 412 Starter/Generator - OH	Insp Type: Hard Time	H UNK		UNK	0	1000	UNK	156.8	18753.1
	PN: Starter/Generator OVH	Installed on: Starter/Generator - 23046-020 - 8856	L UNK							
	SN: 8856	Description: 1000 hrs OVH	C UNK		UNK					
Position: 1										
HSN/LSN: 843.2 / UNK										
HSO/LSO: N/A / N/A										
24-00-00 INS Serviceable Repeat Issued	PD: 412 Starter/Generator - OH	Insp Type: Hard Time	H 423.6		18148.0	0	1000	448.3	576.4	19172.7
	PN: Starter/Generator OVH	Installed on: Starter/Generator - 23046-020 - 97149	L UNK							
	SN: 97149	Description: 1000 hrs OVH	C UNK		UNK					
Position:										
HSN/LSN: 423.6 / UNK										
HSO/LSO: N/A / N/A										
25-00-00 INS Serviceable Repeat Pending	PD: 412 First Aid Kit Insp	Insp Type: N/A	H UNK							
	PN: First Aid Kit "A"	Installed on: 412 Special Inspection - A/F Special	L UNK							
	SN: 33213	Inspection - 33213	C UNK	04-Jun-2015	20-May-2017	0	12 (M)	9.83	2.17	20-May-2018
Position:										
HSN/LSN: UNK / UNK										
HSO/LSO: N/A / N/A										
Description: Inspect & perform Contents Inventory every 12 months.										
Last Log: 0669-M1 (23-Apr-2015). JC 238P - 412SP - 33213 (C-GCCD) - Line Maintenance.										
25-00-00 S Inspected Life Pending	PD: ELT - Narco Battery	Insp Type: Life Limited Part	H UNK							
	PN: ELT 10 Battery	Installed on: ELT - Narco - ELT10 - 12680	L UNK							
	SN: 12680	Description: Replace every 24 months.	C 01-Jul-2013		18-May-2017	0	24 (M)	N/A	16.54	31-Jul-2019
Position:										
HSN/LSN: UNK / UNK										
HSO/LSO: UNK / UNK										
25-00-00 INS Serviceable Repeat Issued	PD: ELT10 Recert	Insp Type: N/A	H UNK							
	PN: ELT10	Installed on: ELT - Narco - ELT10 - 12680	L UNK							
	SN: 12680	Description: Inspect & Ops. Check every 12 months.	C UNK		18-May-2017	0	12 (M)	9.90	2.53	31-May-2018
Position:										
HSN/LSN: UNK / UNK										
HSO/LSO: N/A / N/A										
25-00-00 INS Serviceable Repeat Pending	PD: Portable fueling equipment insp and filter change	Insp Type: Mandatory	H UNK							
	PN: Portable fuel equipment	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
	SN: S/N GCCD	(C-GCCD)	C UNK	31-Jan-2017	31-Jan-2017	0	12 (M)	13.41	-1.41	31-Jan-2018
Position:										
HSN/LSN: UNK / UNK										
HSO/LSO: N/A / N/A										
Description: Portable fuelling equipment to be inspected every 12 month										
Last Log: B0961-M3 (31-Jan-2017). JC 629P - 412SP - 33213 (C-GCCD) - Line Maintenance.										
26-00-00 INS Serviceable Repeat Pending	PD: 412 Extinguisher, Engine Fire - Hydro Test	Insp Type: Hard Time	H 105.2							
	PN: Exting, Engine Fire - Hydro Test	Installed on: Extinguisher, Engine Fire - 30402901 -	L 132.0							
	SN: 10407B2	10407B2	C UNK		23-Aug-2013	0	60 (M)	54.74	5.56	31-Aug-2018
Position:										
HSN/LSN: 105.2 / 132.0										
HSO/LSO: N/A / N/A										
Description: Hydrostatic Test every 5 yrs.										

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
26-00-00 INS Serviceable Repeat Pending	PD: 412 Extinguisher, Engine Fire - Hydro Test	Insp Type: Hard Time Installed on: Extinguisher, Engine Fire - 30402901-3 - 51969B1 Description: Hydrostatic Test every 5 yrs.	H	UNK						
	PN: Exting, Engine Fire - Hydro Test		L	UNK						
	SN: 51969B1 Position: 2 HSN/LSN: UNK / UNK HSO/LSO: N/A / N/A		C	UNK	20-Nov-2015	0	60 (M)	27.81	32.25	20-Nov-2020
26-00-00 S New Life Pending	PD: Cartridge, Extinguisher, HTL	Insp Type: Life Limited Part Installed on: Extinguisher, Engine Fire - 30402901 - 10407B2 Description: 6 yrs. service replacement from date of manufacturer. Last Log: B0999-M1 (23-Feb-2018).	H	0.0						
	PN: M30900400		L	0.0						
	SN: 02100 Position: Pos 1 HSN/LSN: 0.0 / 0.0 HSO/LSO: 0.0 / 0.0		C	23-Feb-2018	27-Apr-2017	0	72 (M)	N/A	61.54	30-Apr-2023
26-00-00 S New Life Pending	PD: RTA1200 Fire Extinguisher	Insp Type: N/A Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: 12 years life Last Log: 2359 (02-May-2014). JC 11P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	970.6						
	PN: 13-07660		L	2142.0						
	SN: X-817543 Position: HSN/LSN: UNK / UNK HSO/LSO: 970.6 / 2142.0		C	02-May-2014	02-May-2014	0	144 (M)	N/A	73.64	02-May-2024
26-00-00 S Serviceable Life Pending	PD: RTA600 Fire Extinguisher	Insp Type: N/A Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: 12 years life	H	UNK						
	PN: RTA600		L	UNK						
	SN: X-812804 Position: HSN/LSN: UNK / UNK HSO/LSO: UNK / UNK		C	UNK	UNK	0	12 (Y)	N/A	7.29	28-Jun-2025
26-00-00 S Serviceable Life Pending	PD: Squib, Cartridge	Insp Type: Life Limited Part Installed on: Extinguisher, Engine Fire - 30402901 - 10407B2 Description: Replace every 6 yrs.	H	UNK						
	PN: 13083-5		L	UNK						
	SN: 25344 Position: 1 HSN/LSN: UNK / UNK HSO/LSO: UNK / UNK		C	04-Apr-2012	UNK	0	72 (M)	N/A	0.53	31-Mar-2018
26-00-00 S New Life Pending	PD: Squib, Cartridge	Insp Type: Life Limited Part Installed on: Extinguisher, Engine Fire - 30402901-3 - 51969B1 Description: 6 Year service life Last Log: B0637-M6 (26-Jun-2016). JC 516P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	309.6						
	PN: M13083-5		L	525.0						
	SN: 34926 Position: HSN/LSN: 309.6 / 525.0 HSO/LSO: 309.6 / 525.0		C	26-Jun-2016	31-Mar-2016	0	72 (M)	N/A	48.56	31-Mar-2022
26-00-00 S New Life Pending	PD: Squib, Cartridge	Insp Type: Life Limited Part Installed on: Extinguisher, Engine Fire - 30402901-3 - 51969B1 Description: 6 Year service life Last Log: B0637-M6 (26-Jun-2016). JC 516P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	309.6						
	PN: M13083-5		L	525.0						
	SN: 34936 Position: HSN/LSN: 309.6 / 525.0 HSO/LSO: 309.6 / 525.0		C	26-Jun-2016	31-Mar-2016	0	72 (M)	N/A	48.56	31-Mar-2022

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
26-20-35	PD: Fire Extinguisher, Portable - 12 Mo Insp.		H 928.0							
INS	PN: RTA1200	Insp Type: Mandatory	L UNK							
Serviceable	SN: X-817543	Installed on: RTA1200 Fire Extinguisher - 13-07660 - X-817543	C UNK	02-May-2015	20-May-2017	0	12 (M)	9.83	2.17	20-May-2018
Repeat	Position:	Description: Weigh Check every 12 months in/a/w NFPA Code 10.								
Pending	HSN/LSN: 928.0 / UNK	Last Log: 0669-M1 (23-Apr-2015). JC 219P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
	HSO/LSO: N/A / N/A									
26-20-35	PD: Fire Extinguisher, Portable - 12 Mo Insp.		H UNK							
INS	PN: RTA600	Insp Type: Mandatory	L UNK							
Serviceable	SN: X-812804	Installed on: RTA600 Fire Extinguisher - RTA600 - X-812804	C UNK		17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
Repeat	Position:	Description: Weigh Check every 12 months in/a/w NFPA Code 10.								
Pending	HSN/LSN: UNK / UNK									
	HSO/LSO: N/A / N/A									
31-00-00	PD: 412 Compass, Standby		H UNK							
INS	PN: Compass, Standby (Compass Swing)	Insp Type: Hard Time	L UNK							
Serviceable	SN: 33213	Installed on: 412 Special Inspection - A/F Special Inspection - 33213	C UNK	21-May-2015	20-May-2017	0	12 (M)	9.83	2.17	20-May-2018
Repeat	Position:	Description: Recertify every 12 months.								
Pending	HSN/LSN: UNK / UNK	Last Log: 0669-M1 (23-Apr-2015). JC 208P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
	HSO/LSO: N/A / N/A									
32-00-00	PD: Crosstube, AFT High Gear		H UNK							
S	PN: 412-321-104	Insp Type: N/A	L 832.0		UNK	0	20000	N/A	8597.0	60385.0
Inspected	SN: 1023	Installed on: 412 High Landing Gear Assy - 412-321-304 - SH1	C 27-Oct-2014		UNK					
Life	Position:	Description: 20,000 Takeoff retirement. As per AA-07109 AAI ASB High Gear Config.								
Pending	HSN/LSN: UNK / 11403.0	SN notes: 20,000 Takeoff retirement. As per AA-07109 AAI ASB High Gear Configuration								
	HSO/LSO: UNK / UNK	Last Log: 0657-M2 (15-Dec-2014).								
34-00-00	PD: 412 Pitot/Static Check ( FAR 91.411 )		H UNK							
INS	PN: Pitot/Static Check ( FAR 91.411 )	Insp Type: Hard Time	L UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD)	C UNK	02-May-2015	20-May-2017	0	24 (M)	9.83	14.17	20-May-2019
Repeat	Position:	Description: Recertify every 24 months.								
Pending	HSN/LSN: UNK / UNK	Last Log: 0669-M1 (23-Apr-2015). JC 209P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
	HSO/LSO: N/A / N/A									
34-00-00	PD: 412 Transponder Check (King) (FAR 91.413)		H UNK							
INS	PN: KXP-756	Insp Type: Hard Time	L UNK							
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD)	C UNK	02-May-2015	14-Mar-2017	0	24 (M)	12.03	11.97	14-Mar-2019
Repeat	Position:	Description: Recertify every 24 months.								
Pending	HSN/LSN: UNK / UNK	Last Log: 0669-M1 (23-Apr-2015). JC 211P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
	HSO/LSO: N/A / N/A									

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-00-00 INS Serviceable Repeat Pending	PD: 412 Hub and Sleeve Assy, Main Rotor - OH	Insp Type: Hard Time Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Overhaul every 2,500 hrs.	H	429.1		UNK	0	2500	UNK	2070.9	20667.2
	PN: Hub and Sleeve Assy, Main Rotor OH		L	UNK							
	SN: A1-00153 Position: HSN/LSN: 429.1 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					
62-00-00 INS Serviceable Repeat Pending	PD: 412 Swashplate and Support Assy - OH	Insp Type: Hard Time Installed on: Swashplate and Support Assy - 412-010-402-111FM - RE-0002 Description: Overhaul every 2,500 hrs.	H	429.1		UNK	0	2500	UNK	2070.9	20667.2
	PN: Swashplate and Support Assy - OH		L	UNK							
	SN: RE-0002 Position: HSN/LSN: 429.1 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					
62-00-00 INS Serviceable Life Pending	PD: 412, M/R Control System Bolts 2500 hrs replacement	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: M/R Control System Bolts Replacement	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: M/R Control System Bolt Replacement		L	UNK							
	SN: 33213 Position: HSN/LSN: 429.1 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Bolt droop stop (8)	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire 120 Months	H	UNK							
	PN: MS21250H05006		L	UNK							
	SN: 36009 Position: HSN/LSN: UNK / UNK HSO/LSO: UNK / UNK		C	01-Mar-2009		UNK	0	120 (M)	N/A	9.60	01-Jan-2019
62-00-00 S New Life Pending	PD: Bolt, Cylinder to S/P Support, Shoulder	Insp Type: Life Limited Part Installed on: Cylinder Assy, Hydraulic Servo (Cyclic) - 212-076-005-111 - HR10562 Description: Retire at 2,500 hrs. SN notes: HSR card is located in Component Log Cards binder with Servo	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: 212-001-323-001		L	911.0							
	SN: D118648 Position: HSN/LSN: 429.1 / 911.0 HSO/LSO: 429.1 / 911.0		C			UNK					
62-00-00 S New Life Pending	PD: Bolt, Cylinder to S/P Support, Shoulder	Insp Type: Life Limited Part Installed on: Cylinder Assy, Hydraulic Servo (Cyclic) - 212-076-005-111 - HR8278 Description: Retire at 2,500 hrs. SN notes: HSR card is located in Component Log Cards binder with Servo	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: 212-001-323-001		L	911.0							
	SN: D118728 Position: HSN/LSN: 429.1 / 911.0 HSO/LSO: 429.1 / 911.0		C			UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-00-00 S New Life Pending	PD: Bolt, Cylinder to S/P Support, Shoulder	Insp Type: Life Limited Part Installed on: Cylinder Assy, Hydraulic Servo (Collective) - 212-076-005-111 - 5275 Description: Retire at 2,500 hrs. SN notes: HSR card is located in Component Log Cards binder with Servo	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: 212-001-323-001		L	911.0							
	SN: DI19181 Position: HSN/LSN: 429.1 / 911.0 HSO/LSO: 429.1 / 911.0		C			UNK					
62-00-00 S New Life Pending	PD: Bolt, Shear	Insp Type: Life Limited Part Installed on: Swashplate and Support Assy - 412-010-402-111FM - RE-0002 Description: Retire at 2,500 hrs.	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: 204-011-463-109		L	911.0							
	SN: PB13231 Position: HSN/LSN: 429.1 / 911.0 HSO/LSO: 429.1 / 911.0		C			UNK					
62-00-00 S New Life Pending	PD: Bolt, Shear	Insp Type: Life Limited Part Installed on: Swashplate and Support Assy - 412-010-402-111FM - RE-0002 Description: Retire at 2,500 hrs.	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: 204-011-463-109		L	911.0							
	SN: PB17386 Position: HSN/LSN: 429.1 / 911.0 HSO/LSO: 429.1 / 911.0		C			UNK					
62-00-00 S Serviceable Life Pending	PD: Cap Retention, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	1537.3		UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-171-101		L	UNK							
	SN: A-504 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C			UNK					
62-00-00 S Serviceable Life Pending	PD: Collective Lever Assy	Insp Type: Life Limited Part Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: Retire at 10,000 hrs. SN notes: ASB 412-12-151/// Tracked as individual unit separately from Swashplate and Hub & Sleeve Assy	H	428.6		UNK	0	10000	N/A	7310.0	25906.3
	PN: 412-010-408-101		L	UNK							
	SN: A-1209 Position: HSN/LSN: 2690.0 / UNK HSO/LSO: UNK / UNK		C			UNK					
62-00-00 S Serviceable Life Pending	PD: Collective Sleeve	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Retire at 9,000 hrs.	H	2409.5		UNK	0	9000	N/A	3870.2	22466.5
	PN: 204-011-408-107		L	UNK							
	SN: MWFS-636 Position: HSN/LSN: 5129.8 / UNK HSO/LSO: UNK / UNK		C			UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-00-00 S New Life Pending	PD: Cone Seat, Lower	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	1184.3		UNK	0	10000	N/A	3894.1	22490.4
	PN: 412-018-056-105		L	2312.0							
	SN: A-1505 Position: HSN/LSN: 6105.9 / UNK HSO/LSO: 6105.9 / 2312.0		C			UNK					
62-00-00 S Serviceable Life Pending	PD: Cone Seat, Upper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	1184.3		UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-186-103		L	UNK							
	SN: A-461 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Cone, Lower, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	1184.3		UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-179-105		L	UNK							
	SN: A-1408 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Cone, Upper, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	1184.3		UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-165-101		L	UNK							
	SN: A-1097 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Link Assy, Hub and Sleeve	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Retire at 5,000 hrs.	H	2409.5		UNK	0	5000	N/A	284.3	18880.6
	PN: 412-010-405-111		L	UNK							
	SN: A-3125 Position: HSN/LSN: 4715.7 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Link Assy, Hub and Sleeve	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Retire at 5,000 hrs.	H	2168.0		UNK	0	5000	N/A	1799.7	20396.0
	PN: 412-010-405-111		L	UNK							
	SN: A-4698 Position: HSN/LSN: 3200.3 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK		UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK							
	SN: AX1353 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK		UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK						
	SN: AX1357 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK						
	SN: AX1370 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK						
	SN: AX1385 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK						
	SN: AX1607 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK						
	SN: AX1628 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK						
	SN: AX1631 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Drive Pin, Hub	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-166-101		L	UNK						
	SN: AX1689 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part	H	UNK		UNK	0	5000	N/A	2191.1	20787.4
	PN: 412-010-111-103		L	UNK							
	SN: A-5296		C	UNK		UNK					
Position: 412-010-100-193FM - AAD-00064											
Description: Retire at 5,000 hrs.											
HSN/LSN: 2808.9 / UNK											
HSO/LSO: UNK / UNK											
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part	H	UNK		UNK	0	5000	N/A	2191.1	20787.4
	PN: 412-010-111-103		L	UNK							
	SN: A-5298		C	UNK		UNK					
Position: 412-010-100-193FM - AAD-00064											
Description: Retire at 5,000 hrs.											
HSN/LSN: 2808.9 / UNK											
HSO/LSO: UNK / UNK											
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part	H	UNK		UNK	0	5000	N/A	2191.1	20787.4
	PN: 412-010-111-103		L	UNK							
	SN: A-5299		C	UNK		UNK					
Position: 412-010-100-193FM - AAD-00064											
Description: Retire at 5,000 hrs.											
HSN/LSN: 2808.9 / UNK											
HSO/LSO: UNK / UNK											
62-00-00 S Serviceable Life Pending	PD: Fitting	Insp Type: Life Limited Part	H	UNK		UNK	0	5000	N/A	2342.8	20939.1
	PN: 412-010-111-103		L	UNK							
	SN: A-6134		C	UNK		UNK					
Position: 412-010-100-193FM - AAD-00064											
Description: Retire at 5,000 hrs.											
HSN/LSN: 2657.2 / UNK											
HSO/LSO: UNK / UNK											
62-00-00 S Serviceable Life Pending	PD: Gimbal Ring, Swashplate	Insp Type: Life Limited Part	H	2409.5		UNK	0	9000	N/A	2993.0	21589.3
	PN: 204-010-404-003		L	UNK							
	SN: REFS-1905		C	UNK		UNK					
Position: 412-010-402-111FM - RE-0002											
Description: Retire at 9,000 hrs.											
HSN/LSN: 6007.0 / UNK											
HSO/LSO: UNK / UNK											
62-00-00 S Serviceable Life Pending	PD: Outer Ring, Swashplate	Insp Type: Life Limited Part	H	428.6		UNK	0	10000	N/A	4870.7	23467.0
	PN: 412-010-407-117		L	UNK							
	SN: RE-1047		C	UNK		UNK					
Position: 412-010-402-111FM - RE-0002											
Description: Retire at 10,000 hrs.											
HSN/LSN: 5129.3 / UNK											
HSO/LSO: UNK / UNK											
62-00-00 S Serviceable Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part	H	UNK		UNK	0	15000	N/A	12342.8	30939.1
	PN: 412-010-149-111		L	UNK							
	SN: A-1875		C	UNK		UNK					
Position: 412-010-100-193FM - AAD-00064											
Description: Retire at 15,000 hrs.											
HSN/LSN: 2657.2 / UNK											
HSO/LSO: UNK / UNK											



# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	1537.3	UNK	0	15000	N/A	5288.5	23884.8
	PN: 412-010-149-111		L	UNK						
	SN: A-1942 Position: HSN/LSN: 9711.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Removed Service Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs. Last Log: B0615-M1removal (11-Apr-2016).	H	769.4	UNK	0	15000	N/A	11839.5	30435.8
	PN: 412-010-149-111		L	1351.0						
	SN: A-5487 Position: HSN/LSN: 3160.5 / UNK HSO/LSO: UNK / UNK		C	11-Apr-2016	UNK					
62-00-00 S Serviceable Life Pending	PD: Pitch Horn Assembly, M/R	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	UNK	UNK	0	15000	N/A	12342.8	30939.1
	PN: 412-010-149-111		L	UNK						
	SN: A-5640 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Retire at 5,000 hrs.	H	2409.5	UNK	0	5000	N/A	1593.9	20190.2
	PN: 412-010-403-113		L	UNK						
	SN: A-4943 Position: HSN/LSN: 3406.1 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Retire at 5,000 hrs.	H	2409.5	UNK	0	5000	N/A	1593.9	20190.2
	PN: 412-010-403-113		L	UNK						
	SN: A-4946 Position: HSN/LSN: 3406.1 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Retire at 5,000 hrs.	H	2409.5	UNK	0	5000	N/A	1593.9	20190.2
	PN: 412-010-403-117		L	UNK						
	SN: A-4938 Position: HSN/LSN: 3406.1 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rephasing Lever Assy	Insp Type: Life Limited Part Installed on: Hub and Sleeve Assy, Main Rotor - 412-010-401-111FM - A1-00153 Description: Retire at 5,000 hrs.	H	2409.5	UNK	0	5000	N/A	1593.9	20190.2
	PN: 412-010-403-117		L	UNK						
	SN: A-4945 Position: HSN/LSN: 3406.1 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Link Tube, Hub and Sleeve Assy - 412-010-406-115 - A-4280 Description: Retire at 5,000 hrs.	H	2409.5	UNK	0	5000	N/A	2309.5	20905.8
	PN: 412-310-400-103		L	UNK						
	SN: NH32648 Position: HSN/LSN: 2690.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Link Tube, Hub and Sleeve Assy - 412-010-406-115 - A-2395 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	264.9	18861.2
	PN: 412-310-400-103		L	UNK						
	SN: NH8700 Position: HSN/LSN: 4735.1 / UNK HSO/LSO: 4735.1 / 2240.0		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Link Tube, Hub and Sleeve Assy - 412-010-406-115 - A-2395 Description: Retire at 5,000 hrs.	H	UNK	UNK	0	5000	N/A	264.9	18861.2
	PN: 412-310-400-105		L	UNK						
	SN: NH2654 Position: HSN/LSN: 4735.1 / UNK HSO/LSO: 4735.1 / 2240.0		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Rod End Bearing, Swashplate Link	Insp Type: Life Limited Part Installed on: Link Tube, Hub and Sleeve Assy - 412-010-406-115 - A-4280 Description: Retire at 5,000 hrs.	H	2409.5	UNK	0	5000	N/A	2309.5	20905.8
	PN: 412-310-400-105		L	UNK						
	SN: NH5476 Position: HSN/LSN: 2690.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Splined Plate Drive Assembly, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs.	H	UNK	UNK	0	10000	N/A	7342.8	25939.1
	PN: 412-010-177-105		L	UNK						
	SN: A-716 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-00-00 INS Serviceable Life Pending	PD: Splined Plate Drive Assembly, Main Rotor RIN	Insp Type: Life Limited Part Installed on: 412 RIN Counter Assembly - Seperate Time Tracked RIN Items - 33213 Description: Retire at 60,000 RINs	H	UNK						
	PN: 412-010-177-105		L	UNK	UNK	0	60000	N/A	53261.0	105049.0
	SN: A-1196 Position: HSN/LSN: UNK / 6739.0 HSO/LSO: N/A / N/A		C	UNK	UNK					
62-00-00 S Serviceable Life Pending	PD: Swashplate support	Insp Type: Life Limited Part Installed on: Swashplate and Support Assy - 412-010-402-111FM - RE-0002 Description: Retire 15,000Hrs.	H	428.6	UNK	0	15000	N/A	12310.0	30906.3
	PN: 412-010-453-105		L	UNK						
	SN: RE1112 Position: HSN/LSN: 2690.0 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-00-00 S New Life Pending	PD: Swashplate support bolts	Insp Type: Life Limited Part Installed on: Swashplate and Support Assy - 412-010-402-111FM - RE-0002 Description: Retire 2500 Hrs.	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: 204-011-463-105		L	911.0							
	SN: PB18782		C			UNK					
Position: 412-010-402-111FM - RE-0002											
HSN/LSN: 429.1 / 911.0											
HSO/LSO: 429.1 / 911.0											
62-00-00 S New Life Pending	PD: Swashplate support bolts	Insp Type: Life Limited Part Installed on: Swashplate and Support Assy - 412-010-402-111FM - RE-0002 Description: Retire 2500 Hrs.	H	429.1		UNK	0	2500	N/A	2070.9	20667.2
	PN: 204-011-463-105		L	911.0							
	SN: PB19809		C			UNK					
Position: 412-010-402-111FM - RE-0002											
HSN/LSN: 429.1 / 911.0											
HSO/LSO: 429.1 / 911.0											
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-1206 Description: Inspect every 2,500 hrs. Replace On Condition.	H	1792.4		16630.0	0	2500	1966.3	707.6	19303.9
	PN: Blade, Main Rotor 2500 Hr Insp		L	UNK							
	SN: A-1206		C	UNK		UNK					
Position: A-1206											
HSN/LSN: 1792.4 / UNK											
HSO/LSO: N/A / N/A											
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-1235 Description: Inspect every 2,500 hrs. Replace On Condition.	H	1792.4		16630.0	0	2500	1966.3	707.6	19303.9
	PN: Blade, Main Rotor 2500 Hr Insp		L	UNK							
	SN: A-1235		C	UNK		UNK					
Position: A-1235											
HSN/LSN: 1792.4 / UNK											
HSO/LSO: N/A / N/A											
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-1249 Description: Inspect every 2,500 hrs. Replace On Condition.	H	1792.4		16630.0	0	2500	1966.3	707.6	19303.9
	PN: Blade, Main Rotor 2500 Hr Insp		L	UNK							
	SN: A-1249		C	UNK		UNK					
Position: A-1249											
HSN/LSN: 1792.4 / UNK											
HSO/LSO: N/A / N/A											
62-10-00 INS Serviceable Repeat Pending	PD: 412 Blade, Main Rotor 2500 Hr Insp	Insp Type: Hard Time Installed on: Blade, Main Rotor - 412-015-300-109 - A-1266 Description: Inspect every 2,500 hrs. Replace On Condition.	H	1792.4		16630.0	0	2500	1966.3	707.6	19303.9
	PN: Blade, Main Rotor 2500 Hr Insp		L	UNK							
	SN: A-1266		C	UNK		UNK					
Position: A-1266											
HSN/LSN: 1792.4 / UNK											
HSO/LSO: N/A / N/A											
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	1537.3		UNK	0	5000	N/A	115.5	18711.8
	PN: 412-010-124-109		L	UNK							
	SN: A-4484		C	UNK		UNK					
Position: 412-010-100-193FM - AAD-00064											
HSN/LSN: 4884.5 / UNK											
HSO/LSO: UNK / UNK											

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
62-10-00 S New Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. Last Log: B0603-M2 (06-Feb-2016). JC 448P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	835.9		UNK	0	5000	N/A	4164.1	22760.4
	PN: 412-010-124-109		L	1491.0							
	SN: AZ000343		C	06-Feb-2016		UNK					
	Position:										
HSN/LSN: 835.9 / 1491.0											
HSO/LSO: 835.9 / 1491.0											
62-10-00 S New Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. Last Log: B0603-M2 (06-Feb-2016). JC 447P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	835.9		UNK	0	5000	N/A	4164.1	22760.4
	PN: 412-010-124-109		L	1491.0							
	SN: AZ000371		C	06-Feb-2016		UNK					
	Position:										
HSN/LSN: 835.9 / 1491.0											
HSO/LSO: 835.9 / 1491.0											
62-10-00 S New Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. Last Log: B0603-M2 (06-Feb-2016). JC 449P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	835.9		UNK	0	5000	N/A	4164.1	22760.4
	PN: 412-010-124-109		L	1491.0							
	SN: AZ000408		C	06-Feb-2016		UNK					
	Position:										
HSN/LSN: 835.9 / 1491.0											
HSO/LSO: 835.9 / 1491.0											
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	1537.3		UNK	0	5000	N/A	2677.8	21274.1
	PN: 412-010-124-109		L	UNK							
	SN: FE1265		C	UNK		UNK					
	Position:										
HSN/LSN: 2322.2 / UNK											
HSO/LSO: UNK / UNK											
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	1537.3		UNK	0	5000	N/A	2677.8	21274.1
	PN: 412-010-124-109		L	UNK							
	SN: FE1274		C	UNK		UNK					
	Position:										
HSN/LSN: 2322.2 / UNK											
HSO/LSO: UNK / UNK											
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	1537.3		UNK	0	5000	N/A	2677.8	21274.1
	PN: 412-010-124-109		L	UNK							
	SN: FE1324		C	UNK		UNK					
	Position:										
HSN/LSN: 2322.2 / UNK											
HSO/LSO: UNK / UNK											
62-10-00 S Serviceable Life Pending	PD: Bolt, Blade Retention	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs.	H	1537.3		UNK	0	5000	N/A	2677.8	21274.1
	PN: 412-010-124-109		L	UNK							
	SN: FE1371		C	UNK		UNK					
	Position:										
HSN/LSN: 2322.2 / UNK											
HSO/LSO: UNK / UNK											

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-20-00	PD: 412 Hub Assy, Main Rotor - Special Insp. 2500 hrs		H 274.2		18162.0	0	2500	434.3	2225.8	20822.1
INS	PN: Hub Assy, Main Rotor - 2500 Hr Insp	Insp Type: Hard Time	L UNK							
Serviceable	SN: AAD-00064	Installed on: Hub Assy, Main Rotor -	C UNK		UNK					
Repeat	Position:	412-010-100-193FM - AAD-00064								
Pending	HSN/LSN: 274.2 / UNK	Description: On Condition. Special Insp required each 2500 hrs (par 5-28 and 5-29)								
	HSO/LSO: N/A / N/A									
62-20-00	PD: Bearing Assy, Spindle and Dampner		H 1537.3		UNK	0	10000	N/A	474.1	19070.4
S	PN: 412-010-190-103	Insp Type: Life Limited Part	L UNK							
Serviceable	SN: A-1293	Installed on: Hub Assy, Main Rotor -	C UNK		UNK					
Life	Position:	412-010-100-193FM - AAD-00064								
Pending	HSN/LSN: 9525.9 / UNK	Description: Retire at 10,000 hrs.								
	HSO/LSO: UNK / UNK									
62-20-00	PD: Bearing Assy, Spindle and Dampner		H 1537.3		UNK	0	10000	N/A	1155.6	19751.9
S	PN: 412-010-190-103	Insp Type: Life Limited Part	L UNK							
Serviceable	SN: A-969	Installed on: Hub Assy, Main Rotor -	C UNK		UNK					
Life	Position:	412-010-100-193FM - AAD-00064								
Pending	HSN/LSN: 8844.4 / UNK	Description: Retire at 10,000 hrs.								
	HSO/LSO: UNK / UNK									
62-20-00	PD: Bearing Assy, Spindle and Dampner		H 835.9		UNK	0	10000	N/A	5764.6	24360.9
S	PN: 412-010-190-103	Insp Type: Life Limited Part	L 1491.0							
Removed Service	SN: DN-1025	Installed on: Hub Assy, Main Rotor -	C 16-Feb-2016		UNK					
Life	Position:	412-010-100-193FM - AAD-00064								
Pending	HSN/LSN: 4235.4 / UNK	Description: Retire at 10,000 hrs.								
	HSO/LSO: UNK / UNK	Last Log: B0605-M1 (16-Feb-2016).								
62-20-00	PD: Bearing Assy, Spindle and Dampner		H 769.4		UNK	0	10000	N/A	5026.5	23622.8
S	PN: 412-010-190-103	Insp Type: Life Limited Part	L 1351.0							
Removed Service	SN: DN809	Installed on: Hub Assy, Main Rotor -	C 11-Apr-2016		UNK					
Life	Position:	412-010-100-193FM - AAD-00064								
Pending	HSN/LSN: 4973.5 / UNK	Description: Retire at 10,000 hrs.								
	HSO/LSO: UNK / UNK	Last Log: B0615-M1removal (11-Apr-2016).								
62-20-00	PD: Bridge Assy, Damper		H 1537.3		UNK	0	10000	N/A	7342.8	25939.1
S	PN: 412-010-170-105	Insp Type: Life Limited Part	L UNK							
Serviceable	SN: A-5194	Installed on: Hub Assy, Main Rotor -	C UNK		UNK	0	180 (M)	N/A	72.62	01-Apr-2024
Life	Position:	412-010-100-193FM - AAD-00064								
Pending	HSN/LSN: 2657.2 / UNK	Description: Retire at 10,000 hrs. / 180 Months								
	HSO/LSO: UNK / UNK									
62-20-00	PD: Bridge Assy, Damper		H 1537.3		UNK	0	10000	N/A	8062.3	26658.6
S	PN: 412-010-170-105	Insp Type: Life Limited Part	L UNK							
Serviceable	SN: A-5198	Installed on: Hub Assy, Main Rotor -	C UNK		UNK	0	180 (M)	N/A	102.38	23-Sep-2026
Life	Position:	412-010-100-193FM - AAD-00064								
Pending	HSN/LSN: 1937.7 / UNK	Description: Retire at 10,000 hrs. / 180 Months								
	HSO/LSO: UNK / UNK									

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs. / 180 Months	H	1537.3	UNK	0	10000	N/A	8062.3	26658.6
	PN: 412-010-170-105		L	UNK						
	SN: M0185 Position: HSN/LSN: 1937.7 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK	0	180 (M)	N/A	102.38	23-Sep-2026
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 10,000 hrs. / 180 Months	H	1537.3	UNK	0	10000	N/A	8459.5	27055.8
	PN: 412-010-170-105		L	UNK						
	SN: M0188 Position: HSN/LSN: 1540.5 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK	0	180 (M)	N/A	105.37	23-Dec-2026
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	1537.3	UNK	0	15000	N/A	12342.8	30939.1
	PN: 412-010-185-109		L	UNK						
	SN: A-109 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: 2657.2 / UNK		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	1537.3	UNK	0	15000	N/A	8498.0	27094.3
	PN: 412-010-185-109		L	UNK						
	SN: A-1923 Position: HSN/LSN: 6502.0 / UNK HSO/LSO: UNK / 2715.0		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	1537.3	UNK	0	15000	N/A	8498.0	27094.3
	PN: 412-010-185-109		L	UNK						
	SN: A-1925 Position: HSN/LSN: 6502.0 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Bridge Assy, Damper	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 15,000 hrs.	H	1537.3	UNK	0	15000	N/A	8498.0	27094.3
	PN: 412-010-185-109		L	UNK						
	SN: A-1927 Position: HSN/LSN: 6502.0 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
62-20-00 S Serviceable Life Pending	PD: Yoke Assembly, Main Rotor	Insp Type: Life Limited Part Installed on: Hub Assy, Main Rotor - 412-010-100-193FM - AAD-00064 Description: Retire at 5,000 hrs. (4,500 hrs. per SB 412-98-93).	H	1537.3	UNK	0	5000	N/A	2342.8	20939.1
	PN: 412-010-101-129		L	UNK						
	SN: A-3364 Position: HSN/LSN: 2657.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
62-20-00	PD: Yoke Assembly, Main Rotor		1537.3		UNK	0	5000	N/A	2342.8	20939.1
S	PN: 412-010-101-129	Insp Type: Life Limited Part								
Serviceable	SN: A-3506	Installed on: Hub Assy, Main Rotor -	UNK							
Life	Position:	412-010-100-193FM - AAD-00064	UNK		UNK					
Pending	HSN/LSN: 2657.2 / UNK	Description: Retire at 5,000 hrs. (4,500 hrs. per SB 412-98-93).								
	HSO/LSO: UNK / UNK									
62-30-00	PD: 412 Mast Assy, Main Rotor - OH		1041.4		UNK	100	5000	UNK	3958.6	22554.9
INS	PN: Mast Assy, Main Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: A9-00025	Installed on: Mast Assy, Main Rotor -	UNK							
Repeat	Position:	412-040-366-105 - A9-00025	UNK		UNK					
Issued	HSN/LSN: 1041.4 / UNK	Description: Overhaul every 5,000 hrs.								
	HSO/LSO: N/A / N/A									
62-30-00	PD: Bolt (16 ea.), Dampener Bracket		2657.2		UNK	0	15000	N/A	12342.8	30939.1
S	PN: EWB0420D-7-36	Insp Type: Life Limited Part								
Serviceable	SN: 36009	Installed on: Hub Assy, Main Rotor -	UNK							
Life	Position:	412-010-100-193FM - AAD-00064	UNK		UNK					
Pending	HSN/LSN: 2657.2 / UNK	Description: Retire at 15,000 hrs.								
	HSO/LSO: UNK / UNK									
62-30-00	PD: Mast Pole		1041.4		UNK	0	10000	N/A	4068.8	22665.1
S	PN: 412-040-101-127	Insp Type: Life Limited Part								
Overhauled	SN: A-493	Installed on: Mast Assy, Main Rotor -	UNK							
Life	Position:	412-040-366-105 - A9-00025	UNK		UNK					
Pending	HSN/LSN: 5931.2 / UNK	Description: Retire at 10,000 hrs.								
	HSO/LSO: UNK / UNK									
62-30-00	PD: Mast Pole		UNK							
INS	PN: 412-040-101-127 RIN Replacement	Insp Type: Life Limited Part	UNK		UNK	0	80000	N/A	65424.0	117212.0
Serviceable	SN: A-493	Installed on: 412 RIN Counter Assembly - Seperate	UNK		UNK					
Life	Position:	Time Tracked RIN Items - 33213	UNK		UNK					
Pending	HSN/LSN: UNK / 14576.0	Description: Retire at 80,000 RIN's. 412 and 412EP or 60,000 for the HP EP models								
	HSO/LSO: N/A / N/A									
63-10-00	PD: 412 Driveshaft Assy, Main Transmission - OH		1507.3		UNK	0	3000	UNK	1061.5	19657.8
INS	PN: Driveshaft Assy, Main Trans OH	Insp Type: Hard Time								
Serviceable	SN: A20-01426	Installed on: Driveshaft Assy, Main Transmission -	UNK							
Repeat	Position:	212-040-005-103 - A20-01426	UNK		UNK					
Pending	HSN/LSN: 1938.5 / UNK	Description: Overhaul every 3,000 hrs.								
	HSO/LSO: N/A / N/A									
63-20-00	PD: 412 Transmission Assy, Main Rotor - OH		1507.3		UNK	0	6000	UNK	1414.8	20011.1
INS	PN: Transmission Assy, Main Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: A-13	Installed on: Transmission Assy, Main Rotor -	UNK							
Repeat	Position:	412-040-002-113FM - A-13	UNK		UNK					
Pending	HSN/LSN: 4585.2 / UNK	Description: Overhaul every 6,000 hrs.								
	HSO/LSO: N/A / N/A									

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
63-21-00	PD: 412 Brake Quill, Main Rotor OVH		1507.3		UNK	0	3000	UNK	1492.7	20089.0
INS	PN: Brake Quill, MR 3000 hrs OVH	Insp Type: Hard Time								
Serviceable	SN: A-1159	Installed on: Brake Quill, Main Rotor -	UNK							
Repeat	Position:	412-040-123-101 - A-1159	UNK		UNK					
Pending	HSN/LSN: 1507.3 / UNK	Description: Overhaul every 3000 hrs								
	HSO/LSO: N/A / N/A									
64-00-00	PD: 412 Crosshead, Tail Rotor - OH		753.9		UNK	0	2500	UNK	1746.1	20342.4
INS	PN: Crosshead, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: MWFS1762	Installed on: Crosshead, Tail Rotor - 212-010-775-001	UNK							
Repeat	Position:	- MWFS1762	UNK		UNK					
Pending	HSN/LSN: 753.9 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
64-00-00	PD: 412 Hub Assy, Tail Rotor - OH		1130.6		UNK	0	2500	UNK	835.5	19431.8
INS	PN: Hub Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: A29-00051	Installed on: Hub Assy, Tail Rotor -	UNK							
Repeat	Position:	212-011-701-125FM - A29-00051	UNK		UNK					
Pending	HSN/LSN: 1664.5 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
64-00-00	PD: 412 Idler Assy, Tail Rotor - OH		753.9		UNK	0	2500	UNK	1746.1	20342.4
INS	PN: Idler Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: AFS-3153	Installed on: Idler Assy, Tail Rotor - 209-011-711-001	UNK							
Repeat	Position:	- AFS-3153	UNK		UNK					
Pending	HSN/LSN: 753.9 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
64-00-00	PD: 412 Lever Assy, Tail Rotor - OH		753.9		UNK	0	2500	UNK	1746.1	20342.4
INS	PN: Lever Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: AFS-2159	Installed on: Lever Assy, Tail Rotor -	UNK							
Repeat	Position:	209-011-712-101 - AFS-2159	UNK		UNK					
Pending	HSN/LSN: 753.9 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
64-00-00	PD: 412 Link Assy, Tail Rotor - OH		753.9		UNK	0	2500	UNK	1746.1	20342.4
INS	PN: Link Assy, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: A1309	Installed on: Link Assy, Tail Rotor - 209-011-713-003	UNK							
Repeat	Position:	- A1309	UNK		UNK					
Pending	HSN/LSN: 753.9 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									
64-00-00	PD: 412 Nut, Tail Rotor - OH		753.9		UNK	0	2500	UNK	1746.1	20342.4
INS	PN: Nut, Tail Rotor - OH	Insp Type: Hard Time								
Serviceable	SN: AFS1126	Installed on: Nut, Tail Rotor - 212-010-706-001 -	UNK							
Repeat	Position:	AFS1126	UNK		UNK					
Pending	HSN/LSN: 753.9 / UNK	Description: Overhaul every 2,500 hrs.								
	HSO/LSO: N/A / N/A									



# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
64-10-00 S Repaired Life Pending	PD: Blade Assy, Tail Rotor	Insp Type: Life Limited Part	H	0.0	UNK	0	5000	N/A	1943.0	20539.3
	PN: 212-010-750-105FM		L	0.0						
	SN: A-2555 Position: HSN/LSN: 3057.0 / 0.0 HSO/LSO: 3057.0 / 0.0		C	23-Feb-2018	UNK					
Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: Retire at 5,000 hrs. Last Log: B0999-M1 (23-Feb-2018).										
64-10-00 S Repaired Life Pending	PD: Blade Assy, Tail Rotor	Insp Type: Life Limited Part	H	0.0	UNK	0	5000	N/A	1943.0	20539.3
	PN: 212-010-750-105FM		L	0.0						
	SN: A-2729 Position: HSN/LSN: 3057.0 / 0.0 HSO/LSO: 3057.0 / 0.0		C	23-Feb-2018	UNK					
Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: Retire at 5,000 hrs. Last Log: B0999-M1 (23-Feb-2018).										
64-20-00 S Serviceable Life Pending	PD: Yoke Assy, Tail Rotor	Insp Type: Life Limited Part	H	2736.4	UNK	0	5000	N/A	875.0	19471.3
	PN: 212-011-702-001		L	UNK						
	SN: A-1303 Position: HSN/LSN: 4125.0 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
Installed on: Hub Assy, Tail Rotor - 212-011-701-125FM - A29-00051 Description: Retire at 5,000 hrs.										
65-00-00 S Serviceable Life Pending	PD: Bearing	Insp Type: Life Limited Part	H	2060.2	UNK	0	3000	N/A	939.8	19536.1
	PN: 204-040-623-109		L	UNK						
	SN: ZS21156 Position: HSN/LSN: 2060.2 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A-216 Description: 3000 hrs retirement (5000 hrs retirement if installed on 412EP)										
65-00-00 S Serviceable Life Pending	PD: Bearing	Insp Type: Life Limited Part	H	2465.6	UNK	0	3000	N/A	534.4	19130.7
	PN: 204-040-623-109		L	UNK						
	SN: ZS21160 Position: HSN/LSN: 2465.6 / UNK HSO/LSO: UNK / UNK		C	UNK	UNK					
Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A20-10269 Description: 3000 hrs retirement (5000 hrs retirement if installed on 412EP)										
65-00-00 S New Life Pending	PD: Bearing	Insp Type: Life Limited Part	H	675.7	UNK	0	3000	N/A	2324.3	20920.6
	PN: 204-040-623-109		L	911.0						
	SN: ZS31646 Position: HSN/LSN: 675.7 / 911.0 HSO/LSO: 675.7 / 911.0		C		UNK					
Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A-4539 Description: 3000 hrs retirement (5000 hrs retirement if installed on 412EP)										
65-00-00 S New Life Pending	PD: Bearing	Insp Type: Life Limited Part	H	429.1	UNK	0	3000	N/A	2570.9	21167.2
	PN: 204-040-623-109		L	911.0						
	SN: ZS31986 Position: HSN/LSN: 429.1 / 911.0 HSO/LSO: 429.1 / 911.0		C		UNK					
Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A20-83314 Description: 3000 hrs retirement (5000 hrs retirement if installed on 412EP)										

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A20-10269 Description: Overhaul every 3,000 hrs.	H	1792.4		UNK	0	3000	UNK	534.4	19130.7
	PN: 212-040-600-005		L	UNK							
	SN: A20-10269		C	UNK		UNK					
	Position: - A20-10269										
HSN/LSN: 2465.6 / UNK											
HSO/LSO: N/A / N/A											
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A20-83314 Description: Overhaul every 3,000 hrs.	H	429.1		UNK	0	3000	UNK	2570.9	21167.2
	PN: 212-040-600-005		L	UNK							
	SN: A20-83314		C	UNK		UNK					
	Position: - A20-83314										
HSN/LSN: 429.1 / UNK											
HSO/LSO: N/A / N/A											
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A-216 Description: Overhaul every 3,000 hrs.	H	1792.4		UNK	0	3000	UNK	1073.7	19670.0
	PN: 212-040-600-005		L	UNK							
	SN: A-216		C	UNK		UNK					
	Position: - A-216										
HSN/LSN: 1926.3 / UNK											
HSO/LSO: N/A / N/A											
65-10-00 INS Serviceable Repeat Pending	PD: 412 T/R D/S Hanger Assy - OH	Insp Type: Hard Time Installed on: T/R D/S Hanger Assy - 212-040-600-005 - A-4539 Description: Overhaul every 3,000 hrs.	H	675.7		UNK	0	3000	UNK	2324.3	20920.6
	PN: 212-040-600-005		L	UNK							
	SN: A-4539		C	UNK		UNK					
	Position: - A-4539										
HSN/LSN: 675.7 / UNK											
HSO/LSO: N/A / N/A											
65-20-00 INS Serviceable Repeat Pending	PD: 412 Gearbox Assy, 42 Degree - OH	Insp Type: Hard Time Installed on: Gearbox Assy, 42 Degree - 212-040-003-023FM - AHP-25264 Description: Overhaul every 5,000 hrs.	H	UNK		UNK	0	5000	UNK	2207.7	20804.0
	PN: Gearbox Assy, 42 Degree - OH		L	UNK							
	SN: AHP-25264		C	UNK		UNK					
	Position: Intermediate										
HSN/LSN: 2057.3 / UNK											
HSO/LSO: N/A / N/A											
65-20-00 INS Serviceable Repeat Pending	PD: 412 Gearbox Assy, 90 Degree - OH	Insp Type: Hard Time Installed on: Gearbox Assy, 90 Degree - 212-040-004-009FM - AHT-25298 Description: Overhaul every 5,000 hrs.	H	UNK		UNK	0	5000	UNK	2942.7	21539.0
	PN: Gearbox Assy, 90 Degree - OH		L	UNK							
	SN: AHT-25298		C	UNK		UNK					
	Position: Tail Rotor										
HSN/LSN: UNK / UNK											
HSO/LSO: N/A / N/A											
67-30-00 INS Serviceable Repeat Pending	PD: 412 Cylinder Assy, Hydraulic Servo - OH	Insp Type: Hard Time Installed on: Cylinder Assy, Hydraulic Servo (Collective) - 212-076-005-111 - 5275 Description: Overhaul every 2,500 hrs.	H	1318.4		UNK	0	2500	UNK	553.4	19149.7
	PN: Cylinder Assy, Hydraulic Servo - OH		L	UNK							
	SN: 5275		C	UNK		UNK					
	Position: (Collective) - 212-076-005-111 - 5275										
HSN/LSN: 1946.6 / UNK											
HSO/LSO: N/A / N/A											

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
67-30-00 INS Serviceable Repeat Pending	PD: 412 Cylinder Assy, Hydraulic Servo - OH	Insp Type: Hard Time	H 1389.7		UNK	0	2500	UNK	1110.3	19706.6
	PN: Cylinder Assy, Hydraulic Servo - OH	Installed on: Cylinder Assy, Hydraulic Servo (Cyclic)	L UNK							
	SN: HR10562 Position: Right HSN/LSN: 1389.7 / UNK HSD/LSO: N/A / N/A	- 212-076-005-111 - HR10562 Description: Overhaul every 2,500 hrs.	C UNK		UNK					
67-30-00 INS Serviceable Repeat Pending	PD: 412 Cylinder Assy, Hydraulic Servo - OH	Insp Type: Hard Time	H 176.2		UNK	0	2500	UNK	2323.8	20920.1
	PN: Cylinder Assy, Hydraulic Servo - OH	Installed on: Cylinder Assy, Hydraulic Servo (Cyclic)	L UNK							
	SN: HR8278 Position: HSN/LSN: 176.2 / UNK HSD/LSO: N/A / N/A	- 212-076-005-111 - HR8278 Description: Overhaul every 2,500 hrs.	C UNK		UNK					
71-00-00 INS Serviceable Repeat Issued	PD: 412 Oil cooler blower - 1000 hrs Insp	Insp Type: Hard Time	H 429.1		UNK	0	1000	UNK	570.9	19167.2
	PN: Oil cooler blower (5-25)	Installed on: Oil cooler blower - 212-062-514-101 -	L UNK							
	SN: 5100-0605 Position: HSN/LSN: 429.1 / UNK HSD/LSO: N/A / N/A	5100-0605 Description: 1000 Hrs. inspection	C UNK		UNK					
71-00-00 INS Serviceable Repeat Issued	PD: 412 Oil cooler blower - 1000 hrs Insp	Insp Type: Hard Time	H 429.1		UNK	0	1000	UNK	570.9	19167.2
	PN: Oil cooler blower (5-25)	Installed on: Oil cooler blower - 212-062-514-101 -	L UNK							
	SN: 5100-0763 Position: HSN/LSN: 429.1 / UNK HSD/LSO: N/A / N/A	5100-0763 Description: 1000 Hrs. inspection	C UNK		UNK					
72-00-00 INS Serviceable Repeat Pending	PD: 412 Combining Gearbox, PT6T-3B Engine - OH	Insp Type: Hard Time	H 260.4		UNK	0	4000	UNK	2063.2	20659.5
	PN: Combining G/B, PT6T-3B Engine - OH	Installed on: Combining Gearbox, PT6T-3B Engine -	L UNK							
	SN: CPG-2348 Position: HSN/LSN: 1436.8 / UNK HSD/LSO: N/A / N/A	3024780 - CPG-2348 Description: Overhaul every 4,000 hrs. SN notes: NEED TO CONFIRM THAT THIS GB WAS MODIFIED IAW TB 412-89-80 PRIOR TO INCREASING INTERVAL TO 4000 HRS	C UNK		UNK					
72-00-00 S New Life Pending	PD: Fuel Nozzle (Set)	Insp Type: Life Limited Part	H 260.4		UNK	0	1200	N/A	939.6	19535.9
	PN: 3019424	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	L 226.0							
	SN: CPPS-TB0132 Position: HSN/LSN: 260.4 / 226.0 HSD/LSO: 260.4 / 226.0	Description: 1200 Hrs. Replacement	C		UNK					
72-00-00 S Serviceable Life Pending	PD: Fuel Nozzle (Set)	Insp Type: Life Limited Part	H 260.4		UNK	0	1200	N/A	939.6	19535.9
	PN: PT6-T3KIT	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
	SN: CPPS-62693 Position: E2 HSN/LSN: 260.4 / UNK HSD/LSO: UNK / UNK	Description: 1200 Hrs. Replacement	C UNK		UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
72-00-00 INS Serviceable Repeat Pending	PD: PT6T Engine, Power Section - OH	Insp Type: Hard Time	H UNK		UNK	0	4000	UNK	2563.2	21159.5
	PN: Engine, Power Section - OH	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK							
	SN: CPPS-62693		C UNK		UNK					
Position: E2										
HSN/LSN: 1436.8 / UNK			Description: Overhaul every 4,000 hrs.							
HSO/LSO: N/A / N/A										
72-00-00 INS Serviceable Repeat Pending	PD: PT6T Engine, Power Section - OH	Insp Type: Hard Time	H 1228.4		15494.3	0	4000	3102.0	1156.1	19752.4
	PN: Engine, Power Section - OH	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	L UNK							
	SN: CPPS-TB0132		C UNK		UNK					
Position: E1										
HSN/LSN: 2843.9 / UNK			Description: Overhaul every 4,000 hrs.							
HSO/LSO: N/A / N/A										
72-30-01 S Serviceable Life Pending	PD: Impeller, Centrifugal	Insp Type: Life Limited Part	H UNK							
	PN: 3027798	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L UNK		UNK	0	29000	N/A	23563.0	75351.0
	SN: 9B498		C UNK		UNK					
Position: E2										
HSN/LSN: UNK / 5437.0			Description: Retire at 29,000 cycles.							
HSO/LSO: UNK / UNK			SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".							
			Last updated Sep 13,2017//LK							
72-30-01 S Serviceable Life Pending	PD: Impeller, Centrifugal	Insp Type: Life Limited Part	H UNK							
	PN: 3027798	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	L 1603.0		UNK	0	29000	N/A	23888.0	75676.0
	SN: AAB000K751		C UNK		UNK					
Position: E1										
HSN/LSN: UNK / 5112.0			Description: Retire at 29,000 cycles.							
HSO/LSO: UNK / UNK			SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".							
			Last updated Sep 13,2017//LK							
72-30-01 S Serviceable Life Pending	PD: Rotor Hub, Compressor	Insp Type: Life Limited Part	H UNK		UNK	0	15000	N/A	7693.5	26289.8
	PN: 3018111	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	L 228.0		UNK	0	110000	N/A	104468.0	156256.0
	SN: 7M897		C UNK		UNK					
Position: E2										
HSN/LSN: 7306.5 / 5532.0			Description: Retire at 15,000 hrs.							
HSO/LSO: UNK / UNK			Retire at 110,000 cycles.							
			SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".							
			Last updated Sep 13,2017//LK							

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
72-30-01	PD: Rotor Hub, Compressor		1228.4							
S	PN: 3041255	Insp Type: Life Limited Part								
Serviceable	SN: AA002DFM2	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	1680.0		UNK	0	35000	N/A	28546.0	80334.0
Life	Position: E1		UNK		UNK					
Pending	HSN/LSN: 2843.4 / 6454.0	Description: Retire at 35,000 cycles.								
	HSO/LSO: UNK / UNK	SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".								
		Last updated Sep 13,2017//LK								
72-30-02	PD: Disk, 2nd. Stage Compressor		UNK							
S	PN: 3018312	Insp Type: Life Limited Part								
Serviceable	SN: 7M451	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK		UNK	0	22500	N/A	16968.0	68756.0
Life	Position: E2		UNK		UNK					
Pending	HSN/LSN: UNK / 5532.0	Description: Retire at 22,500 cycles.								
	HSO/LSO: UNK / UNK	SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".								
		Last updated Sep 13,2017//LK								
72-30-02	PD: Disk, 2nd. Stage Compressor		UNK							
S	PN: 3040312	Insp Type: Life Limited Part								
Serviceable	SN: A002DFPA	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	1680.0		UNK	0	29000	N/A	22546.0	74334.0
Life	Position: E1		UNK		UNK					
Pending	HSN/LSN: UNK / 6454.0	Description: Retire at 29,000 cycles.								
	HSO/LSO: UNK / UNK	SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".								
		Last updated Sep 13,2017//LK								
72-30-02	PD: Disk, 3rd. Stage Compressor		UNK							
S	PN: 3017713	Insp Type: Life Limited Part								
Serviceable	SN: 7L051	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK		UNK	0	28000	N/A	22563.0	74351.0
Life	Position: E2		UNK		UNK					
Pending	HSN/LSN: UNK / 5437.0	Description: Retire at 28,000 cycles.								
	HSO/LSO: UNK / UNK	SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".								
		Last updated Sep 13,2017//LK								
72-30-02	PD: Disk, 3rd. Stage Compressor		UNK							
S	PN: 3040213	Insp Type: Life Limited Part								
Serviceable	SN: A002CPFR	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	1603.0		UNK	0	29000	N/A	23888.0	75676.0
Life	Position: E1		UNK		UNK					
Pending	HSN/LSN: UNK / 5112.0	Description: Retire at 29,000 cycles.								
	HSO/LSO: UNK / UNK	SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".								
		Last updated Sep 13,2017//LK								

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
72-50-01	PD: PT6T-3B Turbine Disk, Power									
S	PN: 3022312	Insp Type: Life Limited Part	UNK		UNK	0	15000	N/A	9650.3	28246.6
Serviceable	SN: 3Y037	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	270.0		UNK	0	57000	N/A	46995.0	98783.0
Life	Position: E2		UNK		UNK					
Pending	HSN/LSN: 5349.7 / 10005.0	Description: Retire at 15,000 hrs.								
	HSO/LSO: UNK / UNK	Retire at 57,000 cycles								
SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".										
Last updated Sep 13,2017//LK										
72-50-01	PD: PT6T-3B Turbine Disk, Power		1228.4		UNK	0	15000	N/A	12156.1	30752.4
S	PN: 3022312	Insp Type: Life Limited Part	2147.0		UNK	0	57000	N/A	51905.0	103693.0
Serviceable	SN: A002DPA0	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	UNK		UNK					
Life	Position: E1									
Pending	HSN/LSN: 2843.9 / 5095.0	Description: Retire at 15,000 hrs.								
	HSO/LSO: UNK / UNK	Retire at 57,000 cycles								
SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".										
Last updated Sep 13,2017//LK										
72-50-02	PD: PT6T-3B Turbine Disk, Compressor		UNK							
S	PN: 3024211	Insp Type: Life Limited Part	UNK		UNK	0	10000	N/A	4610.0	56398.0
Serviceable	SN: 7M308	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK		UNK					
Life	Position: E2									
Pending	HSN/LSN: UNK / 5390.0	Description: Retire at 10,000 cycles								
	HSO/LSO: UNK / UNK	SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".								
Last updated Sep 13,2017//LK										
72-50-02	PD: PT6T-3B Turbine Disk, Compressor		UNK							
S	PN: 3024211	Insp Type: Life Limited Part	1564.0		UNK	0	10000	N/A	5558.0	57346.0
Serviceable	SN: A002E117	Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132	UNK		UNK					
Life	Position: E1									
Pending	HSN/LSN: UNK / 4442.0	Description: Retire at 10,000 cycles								
	HSO/LSO: UNK / UNK	SN notes: LSN=Cycles Since New and HSN for this component are calculated in a separate xls sheet "PT6T-3B Rotating Component Service Life Status".								
Last updated Sep 13,2017//LK										
73-00-00	PD: PT6T Fuel Nozzles (Set) Cleaning		175.4		UNK	0	300	UNK	124.6	18720.9
INS	PN: 3019424	Insp Type: Hard Time	UNK							
Serviceable	SN: CPPS-62693	Installed on: PT6T-3B - 3017600-T3B - CPPS-62693	UNK							
Repeat	Position: E2				23-May-2017					
Pending	HSN/LSN: 175.4 / UNK	Description: In situ Cleaning 300Hr.								
	HSO/LSO: N/A / N/A									

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
73-00-00 INS Serviceable Repeat Pending	PD: PT6T Fuel Nozzles (Set) Cleaning	Insp Type: Hard Time Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132 Description: In situ Cleaning 300Hr. Last Log: 0696-M1 (24-Sep-2015). JC 422P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	175.4	18937.8	18935.5	0	300	-339.2	124.6	18720.9
	PN: 3019424		L	UNK							
	SN: CPPS-TB0132 Position: E1 HSN/LSN: 175.4 / UNK HSO/LSO: N/A / N/A		C	UNK		23-May-2017					
73-00-00 INS Serviceable Repeat Pending	PD: PT6T Fuel Surge Accumulator Insp	Insp Type: Hard Time Installed on: PT6T-3B - 3017600-T3B - CPPS-62693 Description: Inspect every 150 hrs. Last Log: B0392-M1 (22-Aug-2017). JC 682P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	175.4	18570.9	18565.5	0	150	30.8	119.2	18715.5
	PN: SB 5379 (Post - SB5398)		L	UNK							
	SN: CPPS-62693 Position: E2 HSN/LSN: 175.4 / UNK HSO/LSO: N/A / N/A		C	UNK		22-Aug-2017					
73-00-00 INS Serviceable Repeat Pending	PD: PT6T Fuel Surge Accumulator Insp	Insp Type: Hard Time Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132 Description: Inspect every 150 hrs. Last Log: B0392-M1 (22-Aug-2017). JC 681P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	175.4	18570.9	18565.5	0	150	30.8	119.2	18715.5
	PN: SB 5379 (Post - SB5398)		L	UNK							
	SN: CPPS-TB0132 Position: E1 HSN/LSN: 175.4 / UNK HSO/LSO: N/A / N/A		C	UNK		22-Aug-2017					
73-10-02 INS Serviceable Repeat Pending	PD: PT6T Fuel Pump, Engine Driven - OH	Insp Type: Hard Time Installed on: Fuel Pump, Engine Driven - 025277-300-08 - PE-10750 Description: Overhaul every 4,500 hrs.	H	1228.4		14918.4	100	4500	3677.9	1080.2	19676.5
	PN: Fuel Pump, Engine Driven - OH		L	UNK							
	SN: PE-10750 Position: E1 HSN/LSN: 3419.8 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					
73-10-02 INS Serviceable Repeat Pending	PD: PT6T Fuel Pump, Engine Driven - OH	Insp Type: Hard Time Installed on: Fuel Pump, Engine Driven - 025277-300-07 - PE7348 Description: Overhaul every 4,500 hrs.	H	UNK		UNK	100	4500	UNK	3063.2	21659.5
	PN: Fuel Pump, Engine Driven - OH		L	UNK							
	SN: PE7348 Position: E2 HSN/LSN: 1436.8 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					
73-10-04 INS Serviceable Repeat Pending	PD: PT6T Flow Divider - OH	Insp Type: Hard Time Installed on: Flow Divider - 25536-4 - 15742 Description: Overhaul every 4,500 hrs.	H	1228.4		15494.6	0	4500	3101.7	1656.4	20252.7
	PN: Flow Divider - OH		L	UNK							
	SN: 15742 Position: E1 HSN/LSN: 2843.6 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					
73-10-04 INS Serviceable Repeat Pending	PD: PT6T Flow Divider - OH	Insp Type: Hard Time Installed on: Flow Divider - 25536-4 - 18942 Description: Overhaul every 4,500 hrs.	H	UNK		UNK	0	4500	UNK	3063.2	21659.5
	PN: Flow Divider - OH		L	UNK							
	SN: 18942 Position: E2 HSN/LSN: 1436.8 / UNK HSO/LSO: N/A / N/A		C	UNK		UNK					

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
73-20-01 INS Serviceable Repeat Pending	PD: PT6T Fuel Control, Manual - OH	Insp Type: Hard Time Installed on: Fuel Control, Manual - 3244736-8 - A86209 Position: E2 Description: Overhaul every 4,500 hrs.	H	260.4		UNK	100	4500	UNK	3063.2	21659.5
	PN: Fuel Control, Manual - OH		L	UNK							
	SN: A86209		C	UNK		UNK					
HSN/LSN: 1436.8 / UNK HSO/LSO: N/A / N/A											
73-20-01 INS Serviceable Repeat Pending	PD: PT6T Fuel Control, Manual - OH	Insp Type: Hard Time Installed on: Fuel Control, Manual - 3244736-8 - C16234 Position: C16234 Description: Overhaul every 4,500 hrs.	H	UNK		17367.9	100	4500	1228.4	1186.9	19783.2
	PN: Fuel Control, Manual - OH		L	UNK							
	SN: C16234		C	UNK		UNK					
HSN/LSN: UNK / UNK HSO/LSO: N/A / N/A											
73-20-01 INS Serviceable Repeat Pending	PD: PT6T Fuel Control, Auto - OH	Insp Type: Hard Time Installed on: Fuel Control, Auto - 3244735-16 - A84149 Position: A84149 Description: Overhaul every (a) 6,000 hrs. or (b) 6 yrs.	H	767.1		UNK	0	6000	UNK	5232.9	23829.2
	PN: Fuel Control, Auto - OH		L	UNK							
	SN: A84149		C	UNK		30-Jan-2015	0	72 (M)	37.48	34.59	30-Jan-2021
HSN/LSN: 767.1 / UNK HSO/LSO: N/A / N/A											
73-20-01 INS Serviceable Repeat Pending	PD: PT6T Fuel Control, Auto - OH	Insp Type: Hard Time Installed on: Fuel Control, Auto - 3244735-16-15 - A84681 Position: E2 Description: Overhaul every (a) 6,000 hrs. or (b) 6 yrs.	H	260.4		UNK	0	6000	UNK	5610.3	24206.6
	PN: Fuel Control, Auto - OH		L	UNK							
	SN: A84681		C	UNK		08-Aug-2014	0	72 (M)	43.23	28.83	08-Aug-2020
HSN/LSN: 389.7 / UNK HSO/LSO: N/A / N/A											
75-30-01 INS Serviceable Repeat Pending	PD: PT6T Valve, Bleed - OH	Insp Type: Hard Time Installed on: Valve, Bleed - 3123202-01 - 6T638 Position: 6T638 Description: Overhaul every 4,500 hrs.	H	774.2		UNK	0	4500	UNK	3725.8	22322.1
	PN: Valve, Bleed - OH		L	UNK							
	SN: 6T638		C	UNK		UNK					
HSN/LSN: 774.2 / UNK HSO/LSO: N/A / N/A											
75-30-03 INS Serviceable Repeat Pending	PD: PT6T Air Filter, P3 - OH	Insp Type: Hard Time Installed on: Air Filter, P3 - 3038142 - CPPS-62693 Position: E2 Description: Overhaul every 900 hrs.	H	UNK		UNK	0	900	UNK	329.8	18926.1
	PN: Air Filter, P3 - OH		L	UNK							
	SN: CPPS-62693		C	UNK		UNK					
HSN/LSN: 570.2 / UNK HSO/LSO: N/A / N/A											
75-30-03 INS Serviceable Repeat Pending	PD: PT6T Air Filter, P3 - OH	Insp Type: Hard Time Installed on: Air Filter, P3 - 3038142 - CPPS-TB0132 Position: E1 Description: Overhaul every 900 hrs. Last Log: B0637-M1 (21-Jun-2016). JC 526P - 412SP - 33213 (C-GCCD) - Line Maintenance.	H	1228.4	18267.9	18266.5	0	900	329.8	570.2	19166.5
	PN: Air Filter, P3 - OH		L	UNK							
	SN: CPPS-TB0132		C	UNK		21-Jun-2016					
HSN/LSN: 1228.4 / UNK HSO/LSO: N/A / N/A											



# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
76-00-00 INS Serviceable Repeat Pending	PD: 412 Torque Control Unit/UTL - OH	Insp Type: Hard Time	H 260.4		UNK	0	4500	UNK	3063.2	21659.5
	PN: Torque Control Unit/UTL - OH	Installed on: Torque Control Unit/UTL - 3244706-7 -	L UNK							
	SN: C11124	C11124	C UNK		UNK					
	Position: C11124	Description: Overhaul every 4,500 hrs.								
HSN/LSN: 1436.8 / UNK										
HSO/LSO: N/A / N/A										
76-00-00 INS Serviceable Repeat Pending	PD: PT6T-3B Governor, Free Turbine - OH	Insp Type: Hard Time	H 260.4		UNK	0	4500	UNK	3063.2	21659.5
	PN: Governor, FT 2524999 - OH	Installed on: Governor, Free Turbine - 2524999-5 -	L UNK							
	SN: C8206	C8206	C UNK		UNK					
	Position: Eng 2	Description: Overhaul every 4,500 hrs.								
HSN/LSN: 1436.8 / UNK										
HSO/LSO: N/A / N/A										
76-00-00 INS Serviceable Repeat Pending	PD: PT6T-3B Governor, Free Turbine - OH	Insp Type: Hard Time	H 260.4		UNK	0	4500	UNK	3063.2	21659.5
	PN: Governor, FT 2524999 - OH	Installed on: Governor, Free Turbine - 2524999-5 -	L UNK							
	SN: C8751	C8751	C UNK		UNK					
	Position: Eng 1	Description: Overhaul every 4,500 hrs.								
HSN/LSN: 1436.8 / UNK										
HSO/LSO: N/A / N/A										
79-20-02 INS Serviceable Repeat Pending	PD: PT6T Heater, Fuel/Oil - OH	Insp Type: Hard Time	H 1228.4		15494.6	0	4500	3101.7	1656.4	20252.7
	PN: Heater, Fuel/Oil - OH	Installed on: Heater, Fuel/Oil - 10544E - 854	L UNK							
	SN: 854		C UNK		UNK					
	Position: E1	Description: Overhaul every 4,500 hrs.								
HSN/LSN: 2843.6 / UNK										
HSO/LSO: N/A / N/A										
79-20-02 INS Serviceable Repeat Pending	PD: PT6T Heater, Fuel/Oil - OH	Insp Type: Hard Time	H 260.4		UNK	0	4500	UNK	3063.2	21659.5
	PN: Heater, Fuel/Oil - OH	Installed on: Heater, Fuel/Oil - 10544E - WA6632	L UNK							
	SN: WA6632		C UNK		UNK					
	Position: E2	Description: Overhaul every 4,500 hrs.								
HSN/LSN: 1436.8 / UNK										
HSO/LSO: N/A / N/A										
97-00-00 S Inspected Repeat Pending	PD: 412 Transponder Control	Insp Type: N/A	H UNK							
	PN: 071-1278	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
	SN: 2788	(C-GCCD)	C UNK		14-Mar-2017	0	24 (M)	12.03	11.97	14-Mar-2019
	Position: (C-GCCD)	Description: 24 MONTHS RECERTIFICATION								
HSN/LSN: UNK / UNK										
HSO/LSO: UNK / UNK										
97-00-00 S Inspected Repeat Pending	PD: Altimeter	Insp Type: N/A	H UNK							
	PN: 10035-11424	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
	SN: 155849	(C-GCCD)	C UNK		19-May-2017	0	24 (M)	9.86	14.14	19-May-2019
	Position: (C-GCCD)	Description: 24 MONTHS RECERTIFICATION								
HSN/LSN: UNK / UNK										
HSO/LSO: UNK / UNK										

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

				Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
97-00-00 S Inspected Repeat Pending	PD: Altimeter (Pilot)	Insp Type: N/A Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: 24 MONTHS RECERTIFICATION	H	UNK							
	PN: 10035-11328		L	UNK							
	SN: 143336		C	UNK		19-May-2017	0	24 (M)	9.86	14.14	19-May-2019
	Position:										
	HSN/LSN: UNK / UNK										
	HSO/LSO: UNK / UNK										
97-00-00 S Inspected Repeat Pending	PD: KXP-756 Transponder	Insp Type: N/A Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: 24 MONTHS RECERTIFICATION	H	UNK							
	PN: 066-1071-00		L	UNK							
	SN: 2503		C	UNK		19-May-2017	0	24 (M)	9.86	14.14	19-May-2019
	Position:										
	HSN/LSN: UNK / UNK										
	HSO/LSO: UNK / UNK										
97-00-00 S Inspected Repeat Pending	PD: TCI Alt Encoder	Insp Type: N/A Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: 24 MONTHS RECERTIFICATION	H	UNK							
	PN: SSD120-30A		L	UNK							
	SN: 50836		C	UNK		19-May-2017	0	24 (M)	9.86	14.14	19-May-2019
	Position:										
	HSN/LSN: UNK / UNK										
	HSO/LSO: UNK / UNK										
Cross Reference 99-00-00 INS Serviceable Repeat Pending	PD: AD 2000-18-09	Insp Type: AD FAA Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: TAILBOOM ATTACHMENT UPPER LH CAP ANGLE Last Log: B0647-M3 (23-Jul-2016). JC 565P - 412SP - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-00-100	H	17.2	19320.1	19315.0	0	100	-718.7	82.8	18679.1
	PN: TAILBOOM ATTACHMENT UPPER LH		L	UNK							
	SN: 33213		C	UNK		24-Aug-2017					
	Position:										
	HSN/LSN: 17.2 / UNK										
	HSO/LSO: N/A / N/A										
Cross Reference 99-00-00 INS Serviceable Repeat Pending	PD: AD 2001-09-11	Insp Type: AD FAA Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: TAIL ROTOR YOKE FATIGUE FAILURE Last Log: B0960-M2 (18-Jan-2017). JC 624P - 412SP - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-96-89 Part D	H	0.0	19404.3	19380.9	0	25	-784.6	25.0	18621.3
	PN: TAIL ROTOR YOKE FATIGUE		L	UNK							
	SN: 33213		C	UNK		23-Feb-2018					
	Position:										
	HSN/LSN: 0.0 / UNK										
	HSO/LSO: N/A / N/A										
Cross Reference 99-00-00 INS Serviceable Repeat Pending	PD: AD 2001-13-01	Insp Type: AD FAA Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: TAIL ROTOR COUNTERWEIGHT BELLCRANK RETENTION NUT Last Log: B0647-M3 (23-Jul-2016). JC 563P - 412SP - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-00-102RA	H	17.2	19320.1	19315.0	0	100	-718.7	82.8	18679.1
	PN: TAIL ROTOR COUNTERWEIGHT		L	UNK							
	SN: 33213		C	UNK		24-Aug-2017					
	Position:										
	HSN/LSN: 17.2 / UNK										
	HSO/LSO: N/A / N/A										

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF	
Cross Reference	99-00-00	PD: AD 2012-22-11	H	17.2	19320.1	19315.0	0	100	-718.7	82.8	18679.1
	INS	PN: Cracked collective lever	L	UNK							
	Serviceable	SN: 33213	C	UNK		24-Aug-2017					
	Repeat	Position:									
	Pending	HSN/LSN: 17.2 / UNK HSO/LSO: N/A / N/A									
		Insp Type: AD FAA Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: 100 Hr. Collective Lever Inspection re: ASB 412-11-148 RA SN notes: 100 Hr. Collective Lever Inspection re: ASB 412-11-148 RA Last Log: B0647-M3 (23-Jul-2016). JC 562P - 412SP - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-11-148 RA									
Cross Reference	99-00-00	PD: AD 2013-15-02	H	0.0	19404.3	19380.9	0	25	-784.6	25.0	18621.3
	INS	PN: Fatigue cracking of a T/R blade	L	UNK							
	Serviceable	SN: 33213	C	UNK		23-Feb-2018					
	Repeat	Position:									
	Pending	HSN/LSN: 0.0 / UNK HSO/LSO: N/A / N/A									
		Insp Type: AD CF Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: AD 2013-15-02 Fatigue cracking of a T/R blade SN notes: Fatigue cracking of a T/R blade Reference ASB 412-13-155 Last Log: B0960-M2 (18-Jan-2017). JC 622P - 412SP - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 412-13-155									
Cross Reference	99-00-00	PD: AD 87-14R2	H	1353.4	18442.9	18425.3	0	600	171.0	429.0	19025.3
	INS	PN: GAS GENERATOR CASE SEAM	L	UNK							
	Serviceable	SN: CPPS-TB0132	C	UNK		11-Jun-2017					
	Repeat	Position: No.1									
	Pending	HSN/LSN: 1353.4 / UNK HSO/LSO: N/A / N/A									
		Insp Type: AD CF Installed on: PT6T-3B - 3017600-T3B - CPPS-TB0132 Description: Inspect gas generator case longitudinal seam weld for cracks Last Log: B0980-M1 (11-Jun-2017). JC 648P - 412SP - 33213 (C-GCCD) - Line Maintenance. Cross Ref: SB 5239R1									
Cross Reference	99-00-00	PD: AD 93-17-12	H	UNK		17465.7	0	3000	1130.6	749.2	19345.5
	INS	PN: MAIN ROTOR TRANSMISSION	L	UNK							
	Serviceable	SN: 33213	C	UNK		UNK					
	Repeat	Position:									
	Pending	HSN/LSN: UNK / UNK HSO/LSO: N/A / N/A									
		Insp Type: AD FAA Installed on: Bell Helicopter 412 - 412SP - 33213 (C-GCCD) Description: MAIN ROTOR TRANSMISSION LOWER PLANETARY SPIDER SUPERCEDES 92-11-07									
Cross Reference	99-00-00	PD: SB 412-08-129 Rev A Part C	H	UNK							
	INS	PN: High Aft Xtube-450 landings Insp	L	359.0		UNK	0	450	UNK	91.0	51879.0
	Serviceable	SN: 1023	C	UNK		09-Jul-2016					
	Repeat	Position:									
	Pending	HSN/LSN: UNK / 359.0 HSO/LSO: N/A / N/A									
		Insp Type: ASB Installed on: Crosstube, AFT High Gear - 412-321-104 - 1023 Description: High Aft Crosstube-450 landings Insp SN notes: Reference AD 2012-11-13 and AA-07109 Rev A									

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
99-00-00	PD: SB 412-08-129 Rev A Part D									
INS	PN: High Aft Xtube-2500 land/12 mo Insp	Insp Type: ASB	H UNK							
Serviceable	SN: 1023	Installed on: Crosstube, AFT High Gear - 412-321-104	L 832.0		UNK	0	2500	UNK	1668.0	53456.0
Repeat	Position: - 1023		C UNK		17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
Pending	HSN/LSN: UNK / 832.0	Description: High Aft Crosstube 2500 TO/landings or every 12 Mo Insp								
	HSO/LSO: N/A / N/A	SN notes: Reference AD 2012-11-13 and AA-07109 Rev A								
99-00-00	PD: SB 412-08-129 Rev A Part E									
INS	PN: High Aft Xtube-5000 landings Insp	Insp Type: N/A	H UNK							
Serviceable	SN: 1023	Installed on: Crosstube, AFT High Gear - 412-321-104	L 832.0		UNK	0	5000	UNK	1085.0	52873.0
Repeat	Position: - 1023		C UNK		UNK					
Pending	HSN/LSN: UNK / 3915.0	Description: High Aft Crosstube 5000 landings insp								
	HSO/LSO: N/A / N/A	SN notes: Reference AD 2012-11-13 and AA-07109 Rev A								
99-00-00	PD: SB 412-10-140 Rev A									
INS	PN: Insp for Gap Btwn Intake Fairing As	Insp Type: ASB	H 171.0	18942.2	18941.2	0	300	-344.9	129.0	18725.3
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Repeat	Position: (C-GCCD)		C UNK		11-Jun-2017					
Pending	HSN/LSN: 171.0 / UNK	Description: INSP FOR GAP BTWN INTAKE FAIRING ASSY AND LWR FWD FIRWALL HRZNTL FLNGE								
	HSO/LSO: N/A / N/A	Last Log: 0692-M1 (22-Sep-2015). JC 406P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
99-00-00	PD: SB 412-14-160 Rev A									
INS	PN: M/R drive shaft, retain nuts insp/replac	Insp Type: ASB	H 0.0		UNK	0	600	N/A	423.8	19020.1
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Initial	Position: (C-GCCD)		C UNK		UNK	0	12 (M)	N/A	2.07	17-May-2018
Pending	HSN/LSN: 176.2 / UNK	Description: Within 600 hrs / 12 months after the release date of Rev A								
	HSO/LSO: N/A / N/A									
99-00-00	PD: SB 412-15-166									
INS	PN: TR flight control tube and bearing	Insp Type: ASB	H 0.0	18896.3	18842.7	0	300	-246.4	300.0	18896.3
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Repeat	Position: (C-GCCD)		C UNK	22-Sep-2016	01-Jan-2018	0	12 (M)	2.40	10.59	31-Jan-2019
Pending	HSN/LSN: 0.0 / UNK	Description: 300 hrs/12 mo inspection of Tail Rotor flight control tube and bearing								
	HSO/LSO: N/A / N/A	Last Log: B0953-M3 (15-Sep-2016). JC 591P - 412SP - 33213 (C-GCCD) - Line Maintenance.								
99-00-00	PD: SB 412-17-173									
INS	PN: MAGNETIC BRAKE ASSY INSP	Insp Type: ASB	H 176.2		UNK	0	600	UNK	423.8	19020.1
Serviceable	SN: 33213	Installed on: Bell Helicopter 412 - 412SP - 33213	L UNK							
Repeat	Position: (C-GCCD)		C UNK		17-May-2017	0	365 (D)	302	63	17-May-2018
Pending	HSN/LSN: 176.2 / UNK	Description: MAGNETIC BRAKE ASSEMBLY 204-001-376-003, INSPECTION AND REPAIR OF.								
	HSO/LSO: N/A / N/A									

# Assembly Listing Summary



Ordered By: ATA / Part Description - Part Number - Serial Number  
 Filtered by: Show items with constraint information; Show items that have inspections attached; Show inspection items; Show non inspection items;  
 Include airframe and general inspections; Show non-suspended limited items; Report Grouping By ATA

All AF times are in relation to the Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)  
 HSN: 18596.3 LSN: 51788.0 Last Updated: 09-Sep-2017 Assembly Header: AC - Bell Helicopter 412 - 412SP - 33213 (C-GCCD)

			Since Inst	Last Due AF	Last Done AF	Tol	Interval	Since	Remain	Due AF
99-00-00	PD: SB AA-08055 Rev B Part D		UNK							
INS	PN: High Fwd Xtube-2500 land/12 mo Insp	Insp Type: ASB								
Serviceable	SN: 1354	Installed on: Crosstube, FWD High Gear -	832.0		UNK	0	2500	UNK	1668.0	53456.0
Repeat	Position:	212-321-103 - 1354	UNK		17-May-2017	0	12 (M)	9.93	2.07	17-May-2018
Pending	HSN/LSN: UNK / 832.0	Description: High Fwd Xtube 2500 landings or every 12 Mo Insp for P/N 212-321-103								
	HSO/LSO: N/A / N/A									
99-00-00	PD: SB AA-08055 Rev B Part E		UNK							
INS	PN: High Fwd Xtube-5000 landings Insp	Insp Type: ASB								
Serviceable	SN: 1354	Installed on: Crosstube, FWD High Gear -	832.0		UNK	0	12500	N/A	8943.0	60731.0
Initial	Position:	212-321-103 - 1354	UNK		UNK					
Pending	HSN/LSN: UNK / 3557.0	Description: Perform initial fluorescent penetrant inspection at 12500 landings								
	HSO/LSO: N/A / N/A	SN notes: Activate recurrent 5000 landing inspection when reaches 12500 landings								