

# Compliance Status

Template: B206L; Aircraft: C-FPHO; Compliance Items Only; Group By: Component  
 Include: Performed

Printed: 2020-05-27 18:55

## C-FPHO

Registration: **C-FPHO**  
 Make / Model: **Bell Textron / 206L**  
 Serial Number: **45147**

Last Log: **Log: 142 Vol/Page: 25/21387 Date: 2020-05-24**  
 AF Current Values: **14087.7 Hours, 21088 Engine Starts, 28006 Rins, 56012 2-1 rins**

| Task / Check                          | Position Path     | ATA      | Performed  | Interval | Next Due                  | Remaining   | Status    |
|---------------------------------------|-------------------|----------|------------|----------|---------------------------|-------------|-----------|
| <b>0520-0001</b>                      | 0500: Inspections | 05-20-00 | 2020-01-17 |          | <b>WO-Task: 200031-01</b> |             | Scheduled |
| AHOS inspection                       |                   | Line     | 2020-01-17 | 12M      | 2021-01-16                | 234 Days    |           |
|                                       |                   | Airframe |            |          |                           |             |           |
| <b>0520-0012</b>                      | 0500: Inspections | 05-20-00 | 2019-09-19 |          |                           |             | Scheduled |
| 12 month insp                         |                   | Line     | 2019-09-19 | 12M      | 2020-09-18                | 114 Days    |           |
|                                       |                   | Airframe |            |          |                           |             |           |
| <b>0520-0024</b>                      | 0500: Inspections | 05-20-00 | 2020-02-20 |          | <b>WO-Task: 200031-03</b> |             | Scheduled |
| 24 month insp "CMT"                   |                   | Line     | 2020-02-20 | 24M      | 2022-02-19                | 633 Days    |           |
|                                       |                   | Airframe |            |          |                           |             |           |
| <b>0520-0112</b>                      | 0500: Inspections | 05-20-00 | 2020-04-30 |          | <b>WO-Task: 200031-09</b> |             | Scheduled |
| 100 hr inspection "CMT"               |                   | Line     | 2020-04-30 | 12M      | 2021-04-30                | 338 Days    |           |
|                                       |                   | Airframe | 14035.0    | 100.0    | 14135.0                   | 47.3 Hours  |           |
| <b>0520-0312</b>                      | 0500: Inspections | 05-20-00 | 2019-09-19 |          |                           |             | Scheduled |
| 300 hr inspection "CMT"               |                   | Line     | 2019-09-19 | 12M      | 2020-09-19                | 115 Days    |           |
|                                       |                   | Airframe | 13841.0    | 300.0    | 14141.0                   | 53.3 Hours  |           |
| <b>0520-1200</b>                      | 0500: Inspections | 05-20-00 | 2017-08-04 |          |                           |             | Overdue   |
| 1200 hr inspection "CMT"              |                   | Line     | 12887.0    | 1200.0   | 14087.0                   | -0.7 Hours  |           |
|                                       |                   | Airframe |            |          |                           |             |           |
| <b>ICA-206L-100</b>                   | 0500: Inspections | 05-20-00 | 2020-04-30 |          | <b>WO-Task: 200031-11</b> |             | Scheduled |
| 100Hr kits insp                       |                   | Base     | 2020-04-30 | 12M      | 2021-04-30                | 338 Days    |           |
|                                       |                   | Airframe | 14035.0    | 100.0    | 14135.0                   | 47.3 Hours  |           |
| <b>ICA-206L-300</b>                   | 0500: Inspections | 05-20-00 | 2019-09-19 |          |                           |             | Scheduled |
| 300hr installed kits inspection       |                   | Base     | 2019-09-19 | 12M      | 2020-09-19                | 115 Days    |           |
|                                       |                   | Airframe | 13841.0    | 300.0    | 14141.0                   | 53.3 Hours  |           |
| <b>1200-0300</b>                      | 1200: Service gen | 12-20-00 |            |          |                           |             | Scheduled |
| Gearbox oils and MGB filter (555 oil) |                   | Line     |            | 12M      | 2021-04-30                | 338 Days    |           |
|                                       |                   | Airframe |            | 300.0    | 14335.0                   | 247.3 Hours |           |

# Compliance Status

| Task / Check  | Position Path  | ATA              | Performed                | Interval  | Next Due                  | Remaining               | Status    |
|---|--|------------------|--------------------------|---|---------------------------|-------------------------|-----------|
| <b>2560-0000</b>  | 2500: Safety Equip   | 25-60-00         | 2019-09-19               |   |                           |                         | Scheduled |
| First Aid Kit - Carry out First aid kit inspection. PRINT WORKSTEPS |  | Line<br>Airframe | 2019-09-19               | 12M   | 2020-09-19                | 115 Days                |           |
| <b>2560-0001</b>  | 2500: Safety Equip   | 25-60-00         | 2019-09-19               |   |                           |                         | Scheduled |
| Survival Kit - Carry out Survival kit inspection. PRINT WORKSTEPS   |  | Line<br>Airframe | 2019-09-19               | 12M   | 2020-09-19                | 115 Days                |           |
| <b>3420-0000</b>  | 3400: NAV General  | 34-20-00         | 2019-09-19               |   |                           |                         | Scheduled |
| Calibrate Compass. PRINT WORKSTEPS.                                 |  | Line<br>Airframe | 2019-09-19               | 12M   | 2020-09-19                | 115 Days                |           |
| <b>AD CF-2019-34</b>  | 0500: AD   | 65-00-00         | 2019-10-21               |   |                           |                         | Performed |
| Tail Rotor Drive – Failure of tail rotor drive shaft coupling nuts. |  | Line<br>Airframe | 2019-10-21<br>13860.2    |   |                           | Days<br>Hours           |           |
| <b>6700-0001</b>  | 0500: Inspections  | 67-00-00         | 2020-02-23               |   | <b>WO-Task: 200031-04</b> |                         | Scheduled |
| Auto Rev Check "CMT"  |  | Line<br>Airframe | 2020-02-23               | 6M  | 2020-08-23                | 88 Days                 |           |
| <b>7900-0000</b>  | 7900: E-OIL gen  | 79-00-00         | 2019-09-19               |   |                           |                         | Scheduled |
| Engine Oil Change   |  | Line<br>Airframe | 2019-09-19<br>13841.0    | 12M<br>600.0                                      | 2020-09-19<br>14441.0     | 115 Days<br>353.3 Hours |           |
| <b>SB 0905-89-04</b>  | 0500: SB   | 79-00-00         | 2019-09-19               |   |                           |                         | Scheduled |
| Scavange Filter bypass check  |  | Line<br>Airframe | 2019-09-19<br>13841.0    | 12M<br>600.0                                      | 2020-09-19<br>14441.0     | 115 Days<br>353.3 Hours |           |
| <b>2400-0000</b>  | Part Number: <b>RG-222</b><br>Serial Number: <b>40907532</b><br>Description: <b>BATTERY</b>    |                  | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |                           |                         |           |
|   |  |                  | Values at Installation : |   |                           |                         |           |
|   |  |                  | Comp. Current Values:    |   |                           |                         |           |
| Task / Check  | Position Path  | ATA              | Performed                | Interval  | Next Due                  | Remaining               | Status    |
| <b>2400-0000(D)</b>   | 2400: Battery  | 24-31-00         |                          |   |                           |                         | Scheduled |
| Concord Battery Discard   |  | Shop<br>Off-Wing |                          |   | 2022-01-29                | 612 Days                |           |
| <b>2500-0000</b>  | Part Number: <b>528-010-04</b><br>Serial Number: <b>118</b><br>Description: <b>HOOK, CARGO</b> |                  | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |                           |                         |           |
|   |  |                  | Values at Installation : |   |                           |                         |           |
|   |  |                  | Comp. Current Values:    |   |                           |                         |           |
| Task / Check  | Position Path  | ATA              | Performed                | Interval  | Next Due                  | Remaining               | Status    |

# Compliance Status

| Task / Check         | Position Path  | ATA                  | Performed  | Interval | Next Due   | Remaining | Status    |
|----------------------|----------------|----------------------|------------|----------|------------|-----------|-----------|
| <b>2500-0000 (O)</b> | 2500: Ext Load | 25-00-00             | 2016-03-21 |          |            |           | Scheduled |
| Cargo hook O/H       |                | External<br>Off-Wing | 2016-03-21 | 60M      | 2021-03-21 | 298 Days  |           |

|                  |   |                          |   |  |  |  |  |
|------------------|---|--------------------------|---|--|--|--|--|
| <b>2566-0000</b> | Part Number: <b>S1840501-01</b>             | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                  | Serial Number: <a href="#">LX1100028350</a> | Values at Installation : |   |  |  |  |  |
|                  | Description: <b>ELT</b>                     | Comp. Current Values:    |   |  |  |  |  |

| Task / Check                                 | Position Path | ATA             | Performed  | Interval | Next Due                  | Remaining | Status    |
|--|---------------|-----------------|------------|----------|---------------------------|-----------|-----------|
| <b>2566-0000 (I)</b>                         | 2500: ELT     | 25-66-00        | 2020-03-05 |          | <b>WO-Task: 200031-06</b> |           | Scheduled |
| Kannad 406 compact 12 month operational test |               | Line<br>On-Wing | 2020-03-05 | 12M      | 2021-03-05                | 282 Days  |           |

|                                    |           |                      |            |     |            |          |           |
|------------------------------------|-----------|----------------------|------------|-----|------------|----------|-----------|
| <b>2566-0000 (T)</b>               | 2500: ELT | 25-66-00             | 2019-03-21 |     |            |          | Scheduled |
| Kannad 406 compact 24 month recert |           | External<br>Off-Wing | 2019-03-21 | 24M | 2021-03-31 | 308 Days |           |

|                      |           |                      |  |  |            |           |           |
|----------------------|-----------|----------------------|--|--|------------|-----------|-----------|
| <b>2566-0002 (D)</b> | 2500: ELT | 25-66-00             |  |  |            |           | Scheduled |
| ELT Battery Discard  |           | External<br>Off-Wing |  |  | 2024-03-14 | 1387 Days |           |

|                  |   |                          |  |  |  |  |  |
|------------------|---|--------------------------|--|--|--|--|--|
| <b>2622-0000</b> | Part Number: <b>A384T</b>               | Installed:               | <b>Log: 97 Vol/Page: 25/21372 Date: 2020-02-17</b> |  |  |  |  |
|                  | Serial Number: <a href="#">75443573</a> | Values at Installation : |  |  |  |  |  |
|                  | Description: <b>FIRE EXTINGUISHER</b>   | Comp. Current Values:    |  |  |  |  |  |

| Task / Check              | Position Path  | ATA              | Performed | Interval | Next Due   | Remaining | Status    |
|---------------------------|----------------|------------------|-----------|----------|------------|-----------|-----------|
| <b>2622-0000 (D)</b>      | 2600: fire ext | 26-22-00         |           |          |            |           | Scheduled |
| Fire Extinguisher discard |                | Shop<br>Off-Wing |           |          | 2031-12-31 | 4235 Days |           |

|   |                |                 |  |     |            |          |           |
|---|----------------|-----------------|--|-----|------------|----------|-----------|
| <b>2622-0000 (I)</b>                                | 2600: fire ext | 26-22-00        |  |     |            |          | Scheduled |
| Cabin Fire Extinguisher Inspection. PRINT WORKSTEPS |                | Line<br>On-Wing |  | 12M | 2021-02-18 | 267 Days |           |

|                  |   |                          |  |  |  |  |  |
|------------------|---|--------------------------|--|--|--|--|--|
| <b>6210-0000</b> | Part Number: <b>206-015-001-115</b>     | Installed:               | <b>Log: 69 Vol/Page: 25/21365 Date: 2019-11-22</b> |  |  |  |  |
|                  | Serial Number: <a href="#">BH542554</a> | Values at Installation : | <b>1069.3 Hours</b>                                |  |  |  |  |
|                  | Description: <b>BLADE, MAIN ROTOR</b>   | Comp. Current Values:    | <b>1242.6 Hours</b>                                |  |  |  |  |

| Task / Check | Position Path | ATA | Performed | Interval | Next Due | Remaining | Status |
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|

# Compliance Status

| Task / Check                     | Position Path  | ATA   | Performed   | Interval | Next Due | Remaining    | Status      |
|----------------------------------|--|---|---|----------|----------|--------------|-------------|
| <b>6210-0000 (D)</b>             | 6200: Blade, Red   | 62-10-00  |   |          |          |              | Scheduled   |
| Blade, Main rotor discard        |  | Shop<br>Off-Wing  |   |          | 4000.0   | 2757.4 Hours |             |
| <b>6210-0000</b>                 | Part Number: <b>206-015-001-115</b><br>Serial Number: <a href="#">BH542092</a><br>Description: <b>BLADE, MAIN ROTOR</b>      | Installed:<br>Values at Installation :<br>Comp. Current Values: | <b>Log: 69 Vol/Page: 25/21365 Date: 2019-11-22</b><br><b>1069.3 Hours</b><br><b>1242.6 Hours</b>  |          |          |              |             |
| Task / Check                     | Position Path  | ATA   | Performed   | Interval | Next Due | Remaining    | Status      |
| <b>6210-0000 (D)</b>             | 6200: Blade, Blue  | 62-10-00  |   |          |          |              | Scheduled   |
| Blade, Main rotor discard        |  | Shop<br>Off-Wing  |   |          | 4000.0   | 2757.4 Hours |             |
| <b>6220-0000</b>                 | Part Number: <b>206-011-100-159</b><br>Serial Number: <a href="#">JILM-10434</a><br>Description: <b>HUB ASSY, MAIN ROTOR</b> | Installed:<br>Values at Installation :<br>Comp. Current Values: | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>17917.5 Hours</b><br><b>18310.9 Hours</b> |          |          |              |             |
| Task / Check                     | Position Path  | ATA   | Performed   | Interval | Next Due | Remaining    | Status      |
| <b>6220-0000 (I)</b>             | 6200: Head   | 62-20-00  | 2018-10-11  |          |          |              | Scheduled   |
| Hub, Main rotor inspection "CMT" |  | Heavy<br>On-Wing  | 17571.0   | 1200.0   | 18771.0  | 460.1 Hours  |             |
| <b>6220-0000 (O)</b>             | 6200: Head   | 62-20-00  | 2015-08-20  |          |          |              | Scheduled   |
| Hub, Main rotor O/H              |  | External<br>Off-Wing  | 16375.2   | 2400.0   | 18775.2  | 464.3 Hours  |             |
| <b>6220-0200</b>                 | Part Number: <b>206-011-132-113A</b><br>Serial Number: <a href="#">HB8774</a><br>Description: <b>MR GRIP</b>                 | Installed:<br>Values at Installation :<br>Comp. Current Values: | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1542.4 Hours</b><br><b>1935.8 Hours</b>   |          |          |              |             |
| Task / Check                     | Position Path  | ATA   | Performed   | Interval | Next Due | Remaining    | Status      |
| <b>6220-0000 (O)</b>             | 6200: Head • Grip 1  | 62-20-00  |   |          |          |              | Scheduled   |
| Hub, Main rotor O/H              |  | External<br>Off-Wing  |   |          | 2400.0   | 2400.0       | 464.2 Hours |
| <b>6220-0200</b>                 | Part Number: <b>206-011-132-113A</b><br>Serial Number: <a href="#">HB8299</a><br>Description: <b>MR GRIP</b>                 | Installed:<br>Values at Installation :<br>Comp. Current Values: | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1542.4 Hours</b><br><b>1935.8 Hours</b>   |          |          |              |             |
| Task / Check                     | Position Path  | ATA   | Performed   | Interval | Next Due | Remaining    | Status      |

# Compliance Status

| Task / Check                | Position Path  | ATA                  | Performed   | Interval | Next Due  | Remaining    | Status    |
|-----------------------------|--|----------------------|---|----------|---|--------------|-----------|
| <b>6220-0000 (O)</b>        | 6200: Head • Grip 2  | 62-20-00             |   |          |   |              | Scheduled |
| Hub, Main rotor O/H         |  | External<br>Off-Wing |   | 2400.0   | 2400.0  | 464.2 Hours  |           |
| <b>6220-0200</b>            | Part Number: <b>206-011-132-113A</b><br>Serial Number: <a href="#">HB8774</a><br>Description: <b>MR GRIP</b>             |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1542.4 Hours</b><br><b>1935.8 Hours</b> |              |           |
| <b>6220-0200 (D)</b>        | 6200: Head • Grip 1  | 62-20-00             |   |          |   |              | Scheduled |
| Grip, main rotor discard    |  | Shop<br>Off-Wing     |   |          | 4800.0  | 2864.2 Hours |           |
| <b>6220-0200</b>            | Part Number: <b>206-011-132-113A</b><br>Serial Number: <a href="#">HB8299</a><br>Description: <b>MR GRIP</b>             |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1542.4 Hours</b><br><b>1935.8 Hours</b> |              |           |
| <b>6220-0200 (D)</b>        | 6200: Head • Grip 2  | 62-20-00             |   |          |   |              | Scheduled |
| Grip, main rotor discard    |  | Shop<br>Off-Wing     |   |          | 4800.0  | 2864.2 Hours |           |
| <b>6220-0300</b>            | Part Number: <b>206-011-150-105</b><br>Serial Number: <a href="#">HB14353</a><br>Description: <b>FITTING, MAIN ROTOR</b> |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1542.4 Hours</b><br><b>1935.8 Hours</b> |              |           |
| <b>6220-0300 (D)</b>        | 6200: Head • Fitting 1   | 62-20-00             |   |          |   |              | Scheduled |
| Fitting, Main rotor discard |  | Shop<br>Off-Wing     |   |          | 2400.0  | 464.2 Hours  |           |
| <b>6220-0300</b>            | Part Number: <b>206-011-150-105</b><br>Serial Number: <a href="#">HB16452</a><br>Description: <b>FITTING, MAIN ROTOR</b> |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1542.4 Hours</b><br><b>1935.8 Hours</b> |              |           |
| <b>6220-0300 (D)</b>        | 6200: Head • Fitting 2   | 62-20-00             |   |          |   |              | Scheduled |
| Fitting, Main rotor discard |  | Shop<br>Off-Wing     |   |          | 2400.0  | 464.2 Hours  |           |

# Compliance Status

|                  |  |                          |   |
|------------------|--|--------------------------|---|
| <b>6220-0400</b> | Part Number: <b>206-011-260-101</b>    | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">SU11277</a> | Values at Installation : | <b>346.5 Hours</b>                                |
|                  | Description: <b>LATCH BOLT, M/R</b>    | Comp. Current Values:    | <b>739.9 Hours</b>                                |

| Task / Check         | Position Path       | ATA              | Performed | Interval | Next Due | Remaining   | Status    |
|----------------------|---------------------|------------------|-----------|----------|----------|-------------|-----------|
| <b>6220-0400 (D)</b> | 6200: Head • Bolt 1 | 62-20-00         |           |          |          |             | Scheduled |
| Latch Bolt discard   |                     | Shop<br>Off-Wing |           |          | 1200.0   | 460.1 Hours |           |

|                  |  |                          |   |
|------------------|--|--------------------------|---|
| <b>6220-0400</b> | Part Number: <b>206-011-260-101</b>    | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">SU11301</a> | Values at Installation : | <b>346.5 Hours</b>                                |
|                  | Description: <b>LATCH BOLT, M/R</b>    | Comp. Current Values:    | <b>739.9 Hours</b>                                |

| Task / Check         | Position Path       | ATA              | Performed | Interval | Next Due | Remaining   | Status    |
|----------------------|---------------------|------------------|-----------|----------|----------|-------------|-----------|
| <b>6220-0400 (D)</b> | 6200: Head • Bolt 2 | 62-20-00         |           |          |          |             | Scheduled |
| Latch Bolt discard   |                     | Shop<br>Off-Wing |           |          | 1200.0   | 460.1 Hours |           |

|                  |  |                          |   |
|------------------|--|--------------------------|---|
| <b>6220-0500</b> | Part Number: <b>206-011-125-001</b>    | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">DI41031</a> | Values at Installation : | <b>346.5 Hours</b>                                |
|                  | Description: <b>PIN, M/R STRAP</b>     | Comp. Current Values:    | <b>739.9 Hours</b>                                |

| Task / Check            | Position Path      | ATA              | Performed | Interval | Next Due | Remaining   | Status    |
|-------------------------|--------------------|------------------|-----------|----------|----------|-------------|-----------|
| <b>6220-0500 (D)</b>    | 6200: Head • Pin 1 | 62-20-00         |           |          |          |             | Scheduled |
| Pin, Main rotor discard |                    | Shop<br>Off-Wing |           |          | 1200.0   | 460.1 Hours |           |

|                  |  |                          |   |
|------------------|--|--------------------------|---|
| <b>6220-0500</b> | Part Number: <b>206-011-125-001</b>    | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">DI41063</a> | Values at Installation : | <b>346.5 Hours</b>                                |
|                  | Description: <b>PIN, M/R STRAP</b>     | Comp. Current Values:    | <b>739.9 Hours</b>                                |

| Task / Check            | Position Path      | ATA              | Performed | Interval | Next Due | Remaining   | Status    |
|-------------------------|--------------------|------------------|-----------|----------|----------|-------------|-----------|
| <b>6220-0500 (D)</b>    | 6200: Head • Pin 2 | 62-20-00         |           |          |          |             | Scheduled |
| Pin, Main rotor discard |                    | Shop<br>Off-Wing |           |          | 1200.0   | 460.1 Hours |           |

|                  |   |                          |   |
|------------------|---|--------------------------|---|
| <b>6220-0600</b> | Part Number: <b>206-310-004-103</b>     | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">LPFS6982</a> | Values at Installation : | <b>346.5 Hours</b>                                |
|                  | Description: <b>STRAP ASSY</b>          | Comp. Current Values:    | <b>739.9 Hours</b>                                |

| Task / Check | Position Path | ATA | Performed | Interval | Next Due | Remaining | Status |
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|

# Compliance Status

| Task / Check         | Position Path        | ATA              | Performed | Interval | Next Due             | Remaining               | Status    |
|----------------------|----------------------|------------------|-----------|----------|----------------------|-------------------------|-----------|
| <b>6220-0600 (D)</b> | 6200: Head • Strap 1 | 62-20-00         |           |          |                      |                         | Scheduled |
| Strap, TT Discard    |                      | Shop<br>Off-Wing |           |          | 2022-10-09<br>1200.0 | 865 Days<br>460.1 Hours |           |

|                  |   |                          |   |
|------------------|---|--------------------------|---|
| <b>6220-0600</b> | Part Number: <b>206-310-004-103</b>     | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">LPFS8607</a> | Values at Installation : | <b>346.5 Hours</b>                                |
|                  | Description: <b>STRAP ASSY</b>          | Comp. Current Values:    | <b>739.9 Hours</b>                                |

| Task / Check         | Position Path        | ATA              | Performed | Interval | Next Due             | Remaining               | Status    |
|----------------------|----------------------|------------------|-----------|----------|----------------------|-------------------------|-----------|
| <b>6220-0600 (D)</b> | 6200: Head • Strap 2 | 62-20-00         |           |          |                      |                         | Scheduled |
| Strap, TT Discard    |                      | Shop<br>Off-Wing |           |          | 2022-10-09<br>1200.0 | 865 Days<br>460.1 Hours |           |

|                  |  |                          |   |
|------------------|--|--------------------------|---|
| <b>6220-0700</b> | Part Number: <b>206-011-120-103</b>      | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">HB2035</a>    | Values at Installation : | <b>0.0 Hours, 14903 Rins, 0 2-1 rins</b>          |
|                  | Description: <b>TRUNNION, MAIN ROTOR</b> | Comp. Current Values:    | <b>393.4 Hours, 15858 Rins, 1910 2-1 rins</b>     |

| Task / Check         | Position Path         | ATA                  | Performed | Interval | Next Due | Remaining   | Status    |
|----------------------|-----------------------|----------------------|-----------|----------|----------|-------------|-----------|
| <b>6220-0000 (O)</b> | 6200: Head • Trunnion | 62-20-00             |           |          |          |             | Scheduled |
| Hub, Main rotor O/H  |                       | External<br>Off-Wing |           | 2400.0   | 857.7    | 464.3 Hours |           |

|                                     |                       |                  |  |  |       |           |           |
|-------------------------------------|-----------------------|------------------|--|--|-------|-----------|-----------|
| <b>6220-0700L/R</b>                 | 6200: Head • Trunnion | 62-20-00         |  |  |       |           | Scheduled |
| Trunnion, Main rotor 206L/R discard |                       | Shop<br>Off-Wing |  |  | 24000 | 8142 Rins |           |

|                     |  |                          |   |
|---------------------|--|--------------------------|---|
| <b>6230-0000L/R</b> | Part Number: <b>206-010-450-113</b>      | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                     | Serial Number: <a href="#">REJG20043</a> | Values at Installation : | <b>13494.3 Hours</b>                              |
|                     | Description: <b>SWASHPLATE</b>           | Comp. Current Values:    | <b>13887.7 Hours</b>                              |

| Task / Check         | Position Path    | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|----------------------|------------------|----------------------|------------|----------|----------|--------------|-----------|
| <b>6230-0000 (O)</b> | 6200: Swashplate | 62-30-00             | 2012-03-06 |          |          |              | Scheduled |
| Swashplate O/H       |                  | External<br>Off-Wing | 10442.4    | 4800.0   | 15242.4  | 1354.7 Hours |           |

|                  |  |                          |   |
|------------------|--|--------------------------|---|
| <b>6230-0100</b> | Part Number: <b>206-010-454-109</b>    | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">WA-23</a>   | Values at Installation : | <b>4103.5 Hours</b>                               |
|                  | Description: <b>SLEEVE, SWASHPLATE</b> | Comp. Current Values:    | <b>4496.9 Hours</b>                               |

| Task / Check | Position Path | ATA | Performed | Interval | Next Due | Remaining | Status |
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|

# Compliance Status

| Task / Check                            | Position Path             | ATA                      | Performed | Interval  | Next Due | Remaining    | Status    |
|---|---------------------------|--------------------------|-----------|---|----------|--------------|-----------|
| <b>6230-0000 (O)</b>                    | 6200: Swashplate • sleeve | 62-30-00                 |           |   |          |              | Scheduled |
| Swashplate O/H                          |                           | External<br>Off-Wing     |           | 4800.0  | 5851.6   | 1354.7 Hours |           |
| <b>6230-0100 (D)</b>                    | 6200: Swashplate • sleeve | 62-30-00                 |           |   |          |              | Scheduled |
| Sleeve (all dash#) discard              |                           | Shop<br>Off-Wing         |           |   | 14400.0  | 9903.1 Hours |           |
| <b>6230-0200L/R</b>                     |                           |                          |           |   |          |              |           |
| Part Number: <b>206-010-407-001</b>     |                           | Installed:               |           | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |          |              |           |
| Serial Number: <a href="#">REFS3793</a> |                           | Values at Installation : |           | <b>4103.5 Hours</b>                               |          |              |           |
| Description: <b>LINK, COLLECTIVE</b>    |                           | Comp. Current Values:    |           | <b>4496.9 Hours</b>                               |          |              |           |
| Task / Check                            | Position Path             | ATA                      | Performed | Interval  | Next Due | Remaining    | Status    |
| <b>6230-0000 (O)</b>                    | 6200: Swashplate • link   | 62-30-00                 |           |   |          |              | Scheduled |
| Swashplate O/H                          |                           | External<br>Off-Wing     |           | 4800.0  | 4800.0   | 303.1 Hours  |           |
| <b>6230-0200 (D)</b>                    | 6200: Swashplate • link   | 62-30-00                 |           |   |          |              | Scheduled |
| Link Discard (-407-001) 4800hr          |                           | Shop<br>Off-Wing         |           | 4800.0  | 4800.0   | 303.1 Hours  |           |
| <b>6230-0300L/R</b>                     |                           |                          |           |   |          |              |           |
| Part Number: <b>206-010-467-105</b>     |                           | Installed:               |           | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |          |              |           |
| Serial Number: <a href="#">REFS2117</a> |                           | Values at Installation : |           | <b>4103.5 Hours</b>                               |          |              |           |
| Description: <b>LEVER, COLLECTIVE</b>   |                           | Comp. Current Values:    |           | <b>4496.9 Hours</b>                               |          |              |           |
| Task / Check                            | Position Path             | ATA                      | Performed | Interval  | Next Due | Remaining    | Status    |
| <b>6230-0000 (O)</b>                    | 6200: Swashplate • lever  | 62-30-00                 |           |   |          |              | Scheduled |
| Swashplate O/H                          |                           | External<br>Off-Wing     |           | 4800.0  | 4800.0   | 303.1 Hours  |           |
| <b>6230-0300 (D)</b>                    | 6200: Swashplate • lever  | 62-30-00                 |           |   |          |              | Scheduled |
| Lever Discard (-467-105) 4800hr         |                           | Shop<br>Off-Wing         |           |   | 4800.0   | 303.1 Hours  |           |
| <b>6300-0000L/R</b>                     |                           |                          |           |   |          |              |           |
| Part Number: <b>206-040-014-105</b>     |                           | Installed:               |           | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |          |              |           |
| Serial Number: <a href="#">NJF-476</a>  |                           | Values at Installation : |           | <b>12135.1 Hours, 0 Rins</b>                      |          |              |           |
| Description: <b>MAST ASSY</b>           |                           | Comp. Current Values:    |           | <b>12528.5 Hours, 955 Rins</b>                    |          |              |           |
| Task / Check                            | Position Path             | ATA                      | Performed | Interval  | Next Due | Remaining    | Status    |



# Compliance Status

| Task / Check                             | Position Path  | ATA   | Performed   | Interval        | Next Due                  | Remaining                  | Status        |
|--|--|---|---|-----------------|---------------------------|----------------------------|---------------|
| <b>6300-0000 (I)</b>                     | 6300: Mast   | 63-00-00  | 2019-03-25  |                 |                           |                            | Scheduled     |
| Mast Assy inspection "CMT"               |  | Heavy On-Wing   | 11949.9   | 1500.0          | 13449.9                   | 921.4 Hours                |               |
| <b>6300-0000 (O)</b>                     | 6300: Mast   | 63-00-00  |   |                 |                           |                            | Scheduled     |
| Mast Assy O/H                            |  | External Off-Wing   |   | 3000.0          | 14949.9                   | 2421.4 Hours               |               |
| <b>6300-0001 (I)</b>                     | 6300: Mast   | 63-00-00  | 2020-02-20  |                 | <b>WO-Task: 200031-05</b> |                            | Scheduled     |
| Mast internal corrosion inspection "CMT" |  | Line On-Wing  | 2020-02-20  | 12M             | 2021-02-19                | 268 Days                   |               |
| <b>6300-0100</b>                         | Part Number: <b>206-040-535-109</b><br>Serial Number: <a href="#">MO350</a><br>Description: <b>MAST POLE</b>     | Installed:<br>Values at Installation :<br>Comp. Current Values: | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>185.2 Hours, 527 Rins, 0 2-1 rins</b><br><b>578.6 Hours, 1482 Rins, 1910 2-1 rins</b> |                 |                           |                            |               |
| <b>6300-0100 (D)</b>                     | 6300: Mast • Mast Pole   | 63-00-00  |   |                 |                           |                            | Scheduled     |
| Mast Pole discard 206L/R                 |  | Shop Off-Wing   |   |                 | 5000.0<br>44000           | 4421.4 Hours<br>42518 Rins |               |
| <b>6310-0000L/R</b>                      | Part Number: <b>206-040-270-003</b><br>Serial Number: <a href="#">BMB-10847</a><br>Description: <b>FREEWHEEL</b> | Installed:<br>Values at Installation :<br>Comp. Current Values: | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>21466.0 Hours</b><br><b>21859.4 Hours</b>   |                 |                           |                            |               |
| <b>6310-0000 (I)</b>                     | 6300: Freewheel  | 63-10-00  | 2019-03-20  |                 |                           |                            | Scheduled     |
| Freewheel 1500hr inspection "CMT"        |  | Base On-Wing  | 21280.8   | 1500.0          | 22780.8                   | 921.4 Hours                |               |
| <b>6310-0000 (O)</b>                     | 6300: Freewheel  | 63-10-00  | 2012-11-25  |                 |                           |                            | Scheduled     |
| Freewheel O/H                            |  | External Off-Wing   | 18982.2   | 3000.0          | 21982.2                   | 122.8 Hours                |               |
| <b>6310-0100</b>                         | Part Number: <b>CL42250-1</b><br>Serial Number: <a href="#">FD20128</a><br>Description: <b>CLUTCH</b>            | Installed:<br>Values at Installation :<br>Comp. Current Values: | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1507.1 Hours</b><br><b>1900.5 Hours</b>   |                 |                           |                            |               |
| <b>Task / Check</b>                      | <b>Position Path</b>   | <b>ATA</b>  | <b>Performed</b>  | <b>Interval</b> | <b>Next Due</b>           | <b>Remaining</b>           | <b>Status</b> |

# Compliance Status

| Task / Check                     | Position Path            | ATA              | Performed | Interval | Next Due | Remaining    | Status    |
|----------------------------------|--------------------------|------------------|-----------|----------|----------|--------------|-----------|
| <b>6310-0100 (D)</b>             | 6300: Freewheel • Clutch | 63-10-00         |           |          |          |              | Scheduled |
| Clutch, Freewheel 206L/R Discard |                          | Shop<br>Off-Wing |           |          | 3000.0   | 1099.5 Hours |           |

|                     |                                      |                          |   |  |  |  |  |
|---------------------|--------------------------------------|--------------------------|---|--|--|--|--|
| <b>6310-2000L/R</b> | Part Number: <b>206-040-015-011</b>  | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                     | Serial Number: <b>AMN-10019</b>      | Values at Installation : | <b>346.5 Hours</b>                                |  |  |  |  |
|                     | Description: <b>DRIVESHAFT, MAIN</b> | Comp. Current Values:    | <b>739.9 Hours</b>                                |  |  |  |  |

| Task / Check                 | Position Path     | ATA             | Performed           | Interval     | Next Due             | Remaining               | Status    |
|------------------------------|-------------------|-----------------|---------------------|--------------|----------------------|-------------------------|-----------|
| <b>6310-0200 (I)</b>         | 6300: Drive Shaft | 63-10-00        | 2019-09-19          |              |                      |                         | Scheduled |
| Driveshaft, Main. inspection |                   | Base<br>On-Wing | 2019-09-19<br>493.2 | 12M<br>600.0 | 2020-09-19<br>1093.2 | 115 Days<br>353.3 Hours |           |

|                     |                                     |                          |   |  |  |  |  |
|---------------------|-------------------------------------|--------------------------|---|--|--|--|--|
| <b>6320-0000L/R</b> | Part Number: <b>206-040-004-101</b> | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                     | Serial Number: <b>BMC-00160</b>     | Values at Installation : | <b>2222.1 Hours</b>                               |  |  |  |  |
|                     | Description: <b>TRANS ASSY, MR</b>  | Comp. Current Values:    | <b>2615.5 Hours</b>                               |  |  |  |  |

| Task / Check                      | Position Path | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|-----------------------------------|---------------|----------------------|------------|----------|----------|--------------|-----------|
| <b>6320-0000 (O)</b>              | 6300: XMSN    | 63-20-00             | 2012-08-22 |          |          |              | Scheduled |
| Transmission 206L series overhaul |               | External<br>Off-Wing | 0.0        | 4500.0   | 4500.0   | 1884.5 Hours |           |

|                                      |            |                  |            |        |        |             |           |
|--------------------------------------|------------|------------------|------------|--------|--------|-------------|-----------|
| <b>6320-0000L/R (I)</b>              | 6300: XMSN | 63-20-00         | 2018-01-22 |        |        |             | Scheduled |
| Transmission 206L/R inspection "CMT" |            | Heavy<br>On-Wing | 1559.5     | 1500.0 | 3059.5 | 444.0 Hours |           |

|                     |  |                          |   |  |  |  |  |
|---------------------|--|--------------------------|---|--|--|--|--|
| <b>6320-0100L/R</b> | Part Number: <b>206-040-532-001</b>        | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                     | Serial Number: <b>B12-165</b>              | Values at Installation : | <b>3902.6 Hours</b>                               |  |  |  |  |
|                     | Description: <b>TOP CASE, TRANSMISSION</b> | Comp. Current Values:    | <b>4296.0 Hours</b>                               |  |  |  |  |

| Task / Check                              | Position Path         | ATA                  | Performed  | Interval | Next Due | Remaining   | Status    |
|---|-----------------------|----------------------|------------|----------|----------|-------------|-----------|
| <b>6320-0000 (O)</b>                      | 6300: XMSN • Top Case | 63-20-00             |            |          |          |             | Scheduled |
| Transmission 206L series overhaul         |                       | External<br>Off-Wing |            | 4500.0   | 4500.0   | 204.0 Hours |           |
| <b>6320-0100 (I)</b>                      | 6300: XMSN • Top Case | 63-20-00             | 2018-01-22 |          |          |             | Scheduled |
| Top Case, Transmission, 206L/R INSP "CMT" |                       | External<br>Off-Wing | 3240.0     | 1500.0   | 4740.0   | 444.0 Hours |           |

# Compliance Status

|                  |                                       |                          |  |
|------------------|---------------------------------------|--------------------------|--|
| <b>6400-0000</b> | Part Number: <b>206-011-810-153</b>   | Installed:               | <b>Log: 42 Vol/Page: 25/21356 Date: 2019-09-13</b> |
|                  | Serial Number: <a href="#">HB3160</a> | Values at Installation : | <b>573.7 Hours</b>                                 |
|                  | Description: <b>HUB, TAIL ROTOR</b>   | Comp. Current Values:    | <b>820.4 Hours</b>                                 |

| Task / Check         | Position Path  | ATA                  | Performed | Interval | Next Due | Remaining    | Status    |
|----------------------|----------------|----------------------|-----------|----------|----------|--------------|-----------|
| <b>6400-0000 (O)</b> | 6400: T/R ASSY | 64-00-00             |           |          |          |              | Scheduled |
| Tail Rotor Hub O/H   |                | External<br>Off-Wing |           | 2500.0   | 2500.0   | 1679.6 Hours |           |

|                  |   |                          |  |
|------------------|---|--------------------------|--|
| <b>6400-0100</b> | Part Number: <b>206-011-819-109</b>     | Installed:               | <b>Log: 42 Vol/Page: 25/21356 Date: 2019-09-13</b> |
|                  | Serial Number: <a href="#">HBFS6988</a> | Values at Installation : | <b>573.7 Hours</b>                                 |
|                  | Description: <b>YOKE</b>                | Comp. Current Values:    | <b>820.4 Hours</b>                                 |

| Task / Check            | Position Path         | ATA              | Performed | Interval | Next Due | Remaining    | Status    |
|-------------------------|-----------------------|------------------|-----------|----------|----------|--------------|-----------|
| <b>6400-0100 (D)</b>    | 6400: T/R ASSY • Yoke | 64-00-00         |           |          |          |              | Scheduled |
| Tail Rotor Yoke Discard |                       | Shop<br>Off-Wing |           |          | 5000.0   | 4179.6 Hours |           |

|                  |                                      |                          |  |
|------------------|--------------------------------------|--------------------------|--|
| <b>6410-0000</b> | Part Number: <b>2062200-301</b>      | Installed:               | <b>Log: 42 Vol/Page: 25/21356 Date: 2019-09-13</b> |
|                  | Serial Number: <a href="#">A-358</a> | Values at Installation : | <b>2289.4 Hours</b>                                |
|                  | Description: <b>TAIL ROTOR BLADE</b> | Comp. Current Values:    | <b>2536.1 Hours</b>                                |

| Task / Check              | Position Path            | ATA              | Performed | Interval | Next Due | Remaining    | Status    |
|---------------------------|--------------------------|------------------|-----------|----------|----------|--------------|-----------|
| <b>6410-0000 (D)</b>      | 6400: T/R ASSY • Blade 1 | 64-10-00         |           |          |          |              | Scheduled |
| Blade, Tail Rotor Discard |                          | Shop<br>Off-Wing |           |          | 5000.0   | 2463.9 Hours |           |

|                  |                                      |                          |  |
|------------------|--------------------------------------|--------------------------|--|
| <b>6410-0000</b> | Part Number: <b>2062200-301</b>      | Installed:               | <b>Log: 42 Vol/Page: 25/21356 Date: 2019-09-13</b> |
|                  | Serial Number: <a href="#">A-359</a> | Values at Installation : | <b>2289.4 Hours</b>                                |
|                  | Description: <b>TAIL ROTOR BLADE</b> | Comp. Current Values:    | <b>2536.1 Hours</b>                                |

| Task / Check              | Position Path            | ATA              | Performed | Interval | Next Due | Remaining    | Status    |
|---------------------------|--------------------------|------------------|-----------|----------|----------|--------------|-----------|
| <b>6410-0000 (D)</b>      | 6400: T/R ASSY • Blade 2 | 64-10-00         |           |          |          |              | Scheduled |
| Blade, Tail Rotor Discard |                          | Shop<br>Off-Wing |           |          | 5000.0   | 2463.9 Hours |           |

|                     |  |                          |   |
|---------------------|--|--------------------------|---|
| <b>6520-0000L/R</b> | Part Number: <b>206-040-402-105</b>      | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                     | Serial Number: <a href="#">AMM-95084</a> | Values at Installation : | <b>21887.9 Hours</b>                              |
|                     | Description: <b>GEARBOX</b>              | Comp. Current Values:    | <b>22281.3 Hours</b>                              |

| Task / Check | Position Path | ATA | Performed | Interval | Next Due | Remaining | Status |
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|

# Compliance Status

| Task / Check                    | Position Path  | ATA               | Performed   | Interval | Next Due  | Remaining    | Status    |
|---------------------------------|--|-------------------|---|----------|---|--------------|-----------|
| <b>6520-0000 (I)</b>            | 6500: Gearbox  | 65-20-00          | 2019-03-20  |          |   |              | Scheduled |
| Gearbox, Tail inspection "CMT"  |  | Heavy On-Wing     | 21702.7   | 3000.0   | 24702.7   | 2421.4 Hours |           |
| <b>6520-0000 (O)</b>            | 6500: Gearbox  | 65-20-00          | 2007-12-04  |          |   |              | Scheduled |
| Gearbox, Tail, O/H              |  | External Off-Wing | 16723.9   | 6000.0   | 22723.9   | 442.6 Hours  |           |
| <b>6520-0100</b>                | Part Number: <b>206-040-410-101</b><br>Serial Number: <b>MB6396</b><br>Description: <b>BEARING</b>         |                   | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>185.2 Hours</b><br><b>578.6 Hours</b>   |              |           |
| <b>6520-0100 (D)</b>            | 6500: Gearbox • Bearing  | 65-20-00          |   |          |   |              | Scheduled |
| Bearing, Gearbox, Tail, Discard |  | Shop Off-Wing     |   |          | 3000.0  | 2421.4 Hours |           |
| <b>6710-0000</b>                | Part Number: <b>206-001-193-001</b><br>Serial Number: <b>US648</b><br>Description: <b>CYCLIC TUBE</b>      |                   | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1767.1 Hours</b><br><b>2160.5 Hours</b> |              |           |
| <b>6710-0000 (D)</b>            | 6700: Cyc tube 1   | 67-10-00          |   |          |   |              | Scheduled |
| Cyclic Tube discard             |  | Shop Off-Wing     |   |          | 4800.0  | 2639.5 Hours |           |
| <b>6710-0000</b>                | Part Number: <b>206-001-193-001</b><br>Serial Number: <b>US929</b><br>Description: <b>CYCLIC TUBE</b>      |                   | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1767.1 Hours</b><br><b>2160.5 Hours</b> |              |           |
| <b>6710-0000 (D)</b>            | 6700: Cyc tube 2   | 67-10-00          |   |          |   |              | Scheduled |
| Cyclic Tube discard             |  | Shop Off-Wing     |   |          | 4800.0  | 2639.5 Hours |           |
| <b>6730-0000B</b>               | Part Number: <b>206-076-062-003</b><br>Serial Number: <b>RH0137</b><br>Description: <b>HYDRAULIC SERVO</b> |                   | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>2134.2 Hours</b><br><b>2527.6 Hours</b> |              |           |
| <b>6730-0000B (D)</b>           |  |                   |   |          |   |              |           |

# Compliance Status

| Task / Check          | Position Path    | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|-----------------------|------------------|----------------------|------------|----------|----------|--------------|-----------|
| <b>6730-0000B (O)</b> | 6700: Left Servo | 67-30-00             | 2014-03-10 |          |          |              | Scheduled |
| Servo O/H (3600hr)    |                  | External<br>Off-Wing | 0.0        | 3600.0   | 3600.0   | 1072.4 Hours |           |

|                   |  |                          |   |
|-------------------|--|--------------------------|---|
| <b>6730-0000B</b> | Part Number: <b>206-076-062-003</b>    | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                   | Serial Number: <a href="#">RH-1534</a> | Values at Installation : | <b>2667.8 Hours</b>                               |
|                   | Description: <b>HYDRAULIC SERVO</b>    | Comp. Current Values:    | <b>3061.2 Hours</b>                               |

| Task / Check          | Position Path      | ATA                  | Performed | Interval | Next Due | Remaining   | Status    |
|-----------------------|--------------------|----------------------|-----------|----------|----------|-------------|-----------|
| <b>6730-0000B (O)</b> | 6700: Center Servo | 67-30-00             |           |          |          |             | Scheduled |
| Servo O/H (3600hr)    |                    | External<br>Off-Wing |           | 3600.0   | 3600.0   | 538.8 Hours |           |

|                   |                                      |                          |   |
|-------------------|--------------------------------------|--------------------------|---|
| <b>6730-0000B</b> | Part Number: <b>206-076-062-003</b>  | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                   | Serial Number: <a href="#">HR774</a> | Values at Installation : | <b>8482.3 Hours</b>                               |
|                   | Description: <b>HYDRAULIC SERVO</b>  | Comp. Current Values:    | <b>8875.7 Hours</b>                               |

| Task / Check          | Position Path     | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|-----------------------|-------------------|----------------------|------------|----------|----------|--------------|-----------|
| <b>6730-0000B (O)</b> | 6700: Right Servo | 67-30-00             | 2014-08-25 |          |          |              | Scheduled |
| Servo O/H (3600hr)    |                   | External<br>Off-Wing | 7175.2     | 3600.0   | 10775.2  | 1899.5 Hours |           |

|                  |   |                          |   |
|------------------|---|--------------------------|---|
| <b>7200-0000</b> | Part Number: <b>250-C20R</b>              | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">CAE-295239</a> | Values at Installation : | <b>17767.1 Hours, 20644 Engine Starts</b>         |
|                  | Description: <b>ENGINE, TURBINE</b>       | Comp. Current Values:    | <b>18160.5 Hours, 21088 Engine Starts</b>         |

| Task / Check           | Position Path | ATA      | Performed  | Interval | Next Due                  | Remaining  | Status    |
|------------------------|---------------|----------|------------|----------|---------------------------|------------|-----------|
| <b>0520-0112E</b>      | 7200: C20R    | 05-20-00 | 2020-04-30 |          | <b>WO-Task: 200031-10</b> |            | Scheduled |
| C20R 100 hr inspection |               | Base     | 2020-04-30 | 12M      | 2021-04-30                | 338 Days   |           |
|                        |               | On-Wing  | 18107.8    | 100.0    | 18207.8                   | 47.3 Hours |           |

|                       |            |          |            |       |            |            |           |
|-----------------------|------------|----------|------------|-------|------------|------------|-----------|
| <b>0520-0312E</b>     | 7200: C20R | 05-20-00 | 2019-09-19 |       |            |            | Scheduled |
| C20R 300hr Inspection |            | Base     | 2019-09-19 | 12M   | 2020-09-18 | 114 Days   |           |
|                       |            | On-Wing  | 17913.8    | 300.0 | 18213.8    | 53.3 Hours |           |

|                  |  |                          |   |
|------------------|--|--------------------------|---|
| <b>7230-0000</b> | Part Number: <b>23050833</b>             | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |
|                  | Serial Number: <a href="#">CAC-15136</a> | Values at Installation : | <b>14190.8 Hours, 18075 Engine Starts</b>         |
|                  | Description: <b>COMPRESSOR ASSY</b>      | Comp. Current Values:    | <b>14584.2 Hours, 18519 Engine Starts</b>         |

| Task / Check | Position Path | ATA | Performed | Interval | Next Due | Remaining | Status |
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|

# Compliance Status

| Task / Check   | Position Path                      | ATA                  | Performed             | Interval     | Next Due              | Remaining                           | Status    |
|--|------------------------------------|----------------------|-----------------------|--------------|-----------------------|-------------------------------------|-----------|
| <b>7230-0000 (I)</b>   | 7200: C20R • Compressor            | 72-30-00             | 2019-09-19            |              |                       |                                     | Scheduled |
| Compressor case half inspection  |                                    | Base<br>On-Wing      | 2019-09-19<br>14337.5 | 12M<br>600.0 | 2020-09-19<br>14937.5 | 115 Days<br>353.3 Hours             |           |
| <b>7230-0000 (O)</b>   | 7200: C20R • Compressor            | 72-30-00             | 2018-02-21            |              |                       |                                     | Scheduled |
| Compressor C20R+ O/H   |                                    | External<br>Off-Wing | 13555.6               | 3500.0       | 17055.6               | 2471.4 Hours                        |           |
| <b>7230-0100</b> Part Number: <b>23039065</b> Installed: <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br>Serial Number: <b>JY107848</b> Values at Installation : <b>635.2 Hours, 757 Engine Starts</b><br>Description: <b>COMPRESSOR IMPELLER</b> Comp. Current Values: <b>1028.6 Hours, 1201 Engine Starts</b>       |                                    |                      |                       |              |                       |                                     |           |
| Task / Check   | Position Path                      | ATA                  | Performed             | Interval     | Next Due              | Remaining                           | Status    |
| <b>7230-0100 (D)</b>   | 7200: C20R • Compressor • impeller | 72-30-00             |                       |              |                       |                                     | Scheduled |
| Compressor Impeller discard  |                                    | External<br>Off-Wing |                       |              | 7500.0<br>15000       | 6471.4 Hours<br>13799 Engine Starts |           |
| <b>7230-0200</b> Part Number: <b>23079008</b> Installed: <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br>Serial Number: <b>QC30328</b> Values at Installation : <b>635.2 Hours, 757 Engine Starts</b><br>Description: <b>1ST STAGE COMPRESSOR WHEEL</b> Comp. Current Values: <b>1028.6 Hours, 1201 Engine Starts</b> |                                    |                      |                       |              |                       |                                     |           |
| Task / Check   | Position Path                      | ATA                  | Performed             | Interval     | Next Due              | Remaining                           | Status    |
| <b>7230-0200 (D)</b>   | 7200: C20R • Compressor • Wheel 1  | 72-30-00             |                       |              |                       |                                     | Scheduled |
| Compressor wheel discard   |                                    | External<br>Off-Wing |                       |              | 7500.0<br>15000       | 6471.4 Hours<br>13799 Engine Starts |           |
| <b>7230-0300</b> Part Number: <b>23079007</b> Installed: <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br>Serial Number: <b>QC30065</b> Values at Installation : <b>635.2 Hours, 757 Engine Starts</b><br>Description: <b>2ND STAGE COMPRESSOR WHEEL</b> Comp. Current Values: <b>1028.6 Hours, 1201 Engine Starts</b> |                                    |                      |                       |              |                       |                                     |           |
| Task / Check   | Position Path                      | ATA                  | Performed             | Interval     | Next Due              | Remaining                           | Status    |
| <b>7230-0200 (D)</b>   | 7200: C20R • Compressor • Wheel 2  | 72-30-00             |                       |              |                       |                                     | Scheduled |
| Compressor wheel discard   |                                    | External<br>Off-Wing |                       |              | 7500.0<br>15000       | 6471.4 Hours<br>13799 Engine Starts |           |
| <b>7230-0400</b> Part Number: <b>23079006</b> Installed: <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br>Serial Number: <b>QC30512</b> Values at Installation : <b>635.2 Hours, 757 Engine Starts</b><br>Description: <b>3RD STAGE COMPRESSOR WHEEL</b> Comp. Current Values: <b>1028.6 Hours, 1201 Engine Starts</b> |                                    |                      |                       |              |                       |                                     |           |
| Task / Check   | Position Path                      | ATA                  | Performed             | Interval     | Next Due              | Remaining                           | Status    |

# Compliance Status

| Task / Check                    | Position Path  | ATA                  | Performed   | Interval | Next Due  | Remaining                           | Status    |
|---------------------------------|--|----------------------|---|----------|---|-------------------------------------|-----------|
| <b>7230-0200 (D)</b>            | 7200: C20R • Compressor • Wheel 3  | 72-30-00             |   |          |   |                                     | Scheduled |
| Compressor wheel discard        |  | External<br>Off-Wing |   |          | 7500.0<br>15000   | 6471.4 Hours<br>13799 Engine Starts |           |
| <b>7230-0500</b>                | Part Number: <b>23078987</b><br>Serial Number: <a href="#">QC30678</a><br>Description: <b>4TH STAGE COMPRESSOR WHEEL</b> |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>635.2 Hours, 757 Engine Starts</b><br><b>1028.6 Hours, 1201 Engine Starts</b>   |                                     |           |
| <b>7230-0200 (D)</b>            | 7200: C20R • Compressor • Wheel 4  | 72-30-00             |   |          |   |                                     | Scheduled |
| Compressor wheel discard        |  | External<br>Off-Wing |   |          | 7500.0<br>15000   | 6471.4 Hours<br>13799 Engine Starts |           |
| <b>7250-0100</b>                | Part Number: <b>M250-10223</b><br>Serial Number: <a href="#">X635899</a><br>Description: <b>WHEEL, TURBINE, 1ST</b>      |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1132.8 Hours, 1286 Engine Starts</b><br><b>1526.2 Hours, 1730 Engine Starts</b> |                                     |           |
| <b>7250-0100 (D)</b>            | 7200: C20R • Turbine • Wheel 1   | 72-50-00             |   |          |   |                                     | Scheduled |
| 1st stage turbine wheel discard |  | External<br>Off-Wing |   |          | 1775.0<br>3000  | 248.8 Hours<br>1270 Engine Starts   |           |
| <b>7250-0200</b>                | Part Number: <b>23073854</b><br>Serial Number: <a href="#">X643501</a><br>Description: <b>WHEEL, TURBINE, 2ND</b>        |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1132.8 Hours, 1286 Engine Starts</b><br><b>1526.2 Hours, 1730 Engine Starts</b> |                                     |           |
| <b>7250-0200 (D)</b>            | 7200: C20R • Turbine • Wheel 2   | 72-50-00             |   |          |   |                                     | Scheduled |
| 2nd stage turbine wheel discard |  | External<br>Off-Wing |   |          | 1775.0<br>3000  | 248.8 Hours<br>1270 Engine Starts   |           |
| <b>7250-0300</b>                | Part Number: <b>23065818</b><br>Serial Number: <a href="#">X641622</a><br>Description: <b>WHEEL, TURBINE, 3RD</b>        |                      | Installed:<br>Values at Installation :<br>Comp. Current Values: |          | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b><br><b>1132.8 Hours, 1286 Engine Starts</b><br><b>1526.2 Hours, 1730 Engine Starts</b> |                                     |           |
| <b>7250-0300 (D)</b>            | 7200: C20R • Turbine • Wheel 3   | 72-50-00             |   |          |   |                                     | Scheduled |
| 3rd stage turbine wheel discard |  | External<br>Off-Wing |   |          | 4550.0<br>6000  | 3023.8 Hours<br>4270 Engine Starts  |           |

# Compliance Status

| Task / Check                          | Position Path                  | ATA                  | Performed | Interval | Next Due | Remaining   | Status    |
|---------------------------------------|--------------------------------|----------------------|-----------|----------|----------|-------------|-----------|
| <b>AD 2017-18-14</b>                  | 7200: C20R • Turbine • Wheel 3 | 72-50-00             |           |          |          |             | Scheduled |
| C20R 3rd/4th stage turbine wheel insp |                                | External<br>Off-Wing |           | 1775.0   | 1775.0   | 248.8 Hours |           |

|                  |   |                          |   |  |  |  |  |
|------------------|---|--------------------------|---|--|--|--|--|
| <b>7250-0400</b> | Part Number: <b>M250-10445</b>          | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                  | Serial Number: <b>X651143</b>           | Values at Installation : | <b>1132.8 Hours, 1286 Engine Starts</b>           |  |  |  |  |
|                  | Description: <b>WHEEL, TURBINE, 4TH</b> | Comp. Current Values:    | <b>1526.2 Hours, 1730 Engine Starts</b>           |  |  |  |  |

| Task / Check                    | Position Path                  | ATA                  | Performed | Interval | Next Due       | Remaining                          | Status    |
|---------------------------------|--------------------------------|----------------------|-----------|----------|----------------|------------------------------------|-----------|
| <b>7250-0400 (D)</b>            | 7200: C20R • Turbine • Wheel 4 | 72-50-00             |           |          |                |                                    | Scheduled |
| 4th stage turbine wheel discard |                                | External<br>Off-Wing |           |          | 4550.0<br>6000 | 3023.8 Hours<br>4270 Engine Starts |           |

|                  |                                       |                          |   |  |  |  |  |
|------------------|---------------------------------------|--------------------------|---|--|--|--|--|
| <b>7250-1000</b> | Part Number: <b>23073352</b>          | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                  | Serial Number: <b>CAT-34531</b>       | Values at Installation : | <b>12914.6 Hours, 18141 Engine Starts</b>         |  |  |  |  |
|                  | Description: <b>TURBINE ASSY C20R</b> | Comp. Current Values:    | <b>13308.0 Hours, 18585 Engine Starts</b>         |  |  |  |  |

| Task / Check            | Position Path        | ATA                  | Performed  | Interval | Next Due | Remaining   | Status    |
|-------------------------|----------------------|----------------------|------------|----------|----------|-------------|-----------|
| <b>7250-0000 (I)</b>    | 7200: C20R • Turbine | 72-50-00             | 2016-10-15 |          |          |             | Scheduled |
| Turbine C20R inspection |                      | External<br>Off-Wing | 11781.8    | 1750.0   | 13531.8  | 223.8 Hours |           |

|                      |                      |                      |            |        |         |              |           |
|----------------------|----------------------|----------------------|------------|--------|---------|--------------|-----------|
| <b>7250-0000 (O)</b> | 7200: C20R • Turbine | 72-50-00             | 2016-10-15 |        |         |              | Scheduled |
| Turbine C20R O/H     |                      | External<br>Off-Wing | 11781.8    | 3500.0 | 15281.8 | 1973.8 Hours |           |

|                  |                                  |                          |   |  |  |  |  |
|------------------|----------------------------------|--------------------------|---|--|--|--|--|
| <b>7260-0100</b> | Part Number: <b>23031497</b>     | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                  | Serial Number: <b>MP000416</b>   | Values at Installation : | <b>3284.4 Hours</b>                               |  |  |  |  |
|                  | Description: <b>BEARING, PTO</b> | Comp. Current Values:    | <b>3677.8 Hours</b>                               |  |  |  |  |

| Task / Check              | Position Path                      | ATA              | Performed | Interval | Next Due | Remaining    | Status    |
|---------------------------|------------------------------------|------------------|-----------|----------|----------|--------------|-----------|
| <b>7260-0100 (D)</b>      | 7200: C20R • Gearbox • PTO bearing | 72-60-00         |           |          |          |              | Scheduled |
| PTO Bearing Discard "CMT" |                                    | Shop<br>Off-Wing |           |          | 5000.0   | 1322.2 Hours |           |

|                  |  |                          |   |  |  |  |  |
|------------------|--|--------------------------|---|--|--|--|--|
| <b>7310-0000</b> | Part Number: <b>6899253</b>              | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                  | Serial Number: <b>T3798</b>              | Values at Installation : | <b>1575.6 Hours</b>                               |  |  |  |  |
|                  | Description: <b>PUMP AND FILTER ASSY</b> | Comp. Current Values:    | <b>1969.0 Hours</b>                               |  |  |  |  |

| Task / Check | Position Path | ATA | Performed | Interval | Next Due | Remaining | Status |
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|
|--------------|---------------|-----|-----------|----------|----------|-----------|--------|



# Compliance Status

| Task / Check         | Position Path          | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|----------------------|------------------------|----------------------|------------|----------|----------|--------------|-----------|
| <b>7310-0000 (O)</b> | 7200: C20R • Fuel Pump | 73-10-00             | 2012-07-18 |          |          |              | Scheduled |
| Fuel Pump O/H C20R   |                        | External<br>Off-Wing | 0.0        | 4000.0   | 4000.0   | 2031.0 Hours |           |

|                  |                               |                          |  |  |  |  |  |
|------------------|-------------------------------|--------------------------|--|--|--|--|--|
| <b>7320-0000</b> | Part Number: <b>23070616</b>  | Installed:               | <b>Log: 42 Vol/Page: 25/21356 Date: 2019-09-13</b> |  |  |  |  |
|                  | Serial Number: <b>BR52433</b> | Values at Installation : | <b>12362.6 Hours</b>                               |  |  |  |  |
|                  | Description: <b>FCU C20R</b>  | Comp. Current Values:    | <b>12609.3 Hours</b>                               |  |  |  |  |

| Task / Check         | Position Path    | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|----------------------|------------------|----------------------|------------|----------|----------|--------------|-----------|
| <b>7320-0000 (O)</b> | 7200: C20R • FCU | 73-20-00             | 2016-09-13 |          |          |              | Scheduled |
| FCU O/H              |                  | External<br>Off-Wing | 11972.0    | 2500.0   | 14472.0  | 1862.7 Hours |           |

|                      |                  |                 |  |        |         |             |           |
|----------------------|------------------|-----------------|--|--------|---------|-------------|-----------|
| <b>7320-0001</b>     | 7200: C20R • FCU | 73-20-00        |  |        |         |             | Scheduled |
| FCU Strainer discard |                  | Line<br>On-Wing |  | 1500.0 | 13472.0 | 862.7 Hours |           |

|                  |                                   |                          |   |  |  |  |  |
|------------------|-----------------------------------|--------------------------|---|--|--|--|--|
| <b>7320-1000</b> | Part Number: <b>M250-10817</b>    | Installed:               | <b>Log: 123 Vol/Page: 25/21382 Date: 2020-04-13</b> |  |  |  |  |
|                  | Serial Number: <b>BR44932</b>     | Values at Installation : | <b>2126.3 Hours</b>                                 |  |  |  |  |
|                  | Description: <b>GOVERNOR C20R</b> | Comp. Current Values:    | <b>2194.0 Hours</b>                                 |  |  |  |  |

| Task / Check         | Position Path         | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|----------------------|-----------------------|----------------------|------------|----------|----------|--------------|-----------|
| <b>7320-1000 (O)</b> | 7200: C20R • Governor | 73-20-00             | 2020-03-05 |          |          |              | Scheduled |
| Governor O/H         |                       | External<br>Off-Wing | 2126.3     | 2000.0   | 4126.3   | 1932.3 Hours |           |

|                  |                                 |                          |   |  |  |  |  |
|------------------|---------------------------------|--------------------------|---|--|--|--|--|
| <b>7320-2000</b> | Part Number: <b>23077068</b>    | Installed:               | <b>Log: 1 Vol/Page: 24/20447 Date: 2019-07-16</b> |  |  |  |  |
|                  | Serial Number: <b>1523</b>      | Values at Installation : | <b>2166.7 Hours</b>                               |  |  |  |  |
|                  | Description: <b>FUEL NOZZLE</b> | Comp. Current Values:    | <b>2560.1 Hours</b>                               |  |  |  |  |

| Task / Check         | Position Path            | ATA                  | Performed  | Interval | Next Due | Remaining   | Status  |
|----------------------|--------------------------|----------------------|------------|----------|----------|-------------|---------|
| <b>7320-2000 (O)</b> | 7200: C20R • Fuel Nozzle | 73-20-00             | 2012-03-22 |          |          |             | Overdue |
| Fuel Nozzle O/H C20R |                          | External<br>Off-Wing | 0.0        | 2500.0   | 2500.0   | -60.1 Hours |         |

|                                    |                          |                 |  |  |        |            |           |
|------------------------------------|--------------------------|-----------------|--|--|--------|------------|-----------|
| <b>CEB 73-4069</b>                 | 7200: C20R • Fuel Nozzle | 73-20-00        |  |  |        |            | Scheduled |
| C20R Fuel Nozzle Screen Inspection |                          | Base<br>On-Wing |  |  | 2613.4 | 53.3 Hours |           |

# Compliance Status

Template: B206L; Aircraft: C-FPHO; Compliance Items Only; Group By: Component  
 Include: Performed

|                  |   |                          |  |
|------------------|---|--------------------------|--|
| <b>7500-0000</b> | Part Number: <b>23073207</b>            | Installed:               | <b>Log: 35 Vol/Page: 25/21354 Date: 2019-09-05</b> |
|                  | Serial Number: <a href="#">FF310579</a> | Values at Installation : | <b>4577.8 Hours</b>                                |
|                  | Description: <b>BLEED VALVE</b>         | Comp. Current Values:    | <b>4857.0 Hours</b>                                |

| Task / Check                  | Position Path            | ATA                  | Performed  | Interval | Next Due | Remaining    | Status    |
|-------------------------------|--------------------------|----------------------|------------|----------|----------|--------------|-----------|
| <a href="#">7500-0000 (O)</a> | 7200: C20R • Bleed Valve | 75-00-00             | 2019-09-06 |          |          |              | Scheduled |
| Bleed Valve O/H               |                          | External<br>Off-Wing | 4577.8     | 1500.0   | 6077.8   | 1220.8 Hours |           |

|                     |                                       |                          |  |
|---------------------|---------------------------------------|--------------------------|--|
| <b>8000-0000L/R</b> | Part Number: <b>23032-027</b>         | Installed:               | <b>Log: 39 Vol/Page: 25/21355 Date: 2019-09-09</b> |
|                     | Serial Number: <a href="#">22199</a>  | Values at Installation : | <b>0.0 Hours</b>                                   |
|                     | Description: <b>STARTER GENERATOR</b> | Comp. Current Values:    | <b>257.0 Hours</b>                                 |

| Task / Check                  | Position Path | ATA                  | Performed  | Interval | Next Due | Remaining   | Status    |
|-------------------------------|---------------|----------------------|------------|----------|----------|-------------|-----------|
| <a href="#">8000-0000 (O)</a> | 8000: Starter | 80-00-00             | 2019-09-10 |          |          |             | Scheduled |
| Starter O/H                   |               | External<br>Off-Wing | 0.0        | 1000.0   | 1000.0   | 743.0 Hours |           |